

DHS-DCS SYSTEM



DHS-DCS
SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

US FDA 510K APPROVED •

(Locking Plates and Screws)

EC Certificate - Class IIa & IIb •

ISO 13485:2016 •

ISO 9001:2015 •

India FDA Approved •

Dynamic Hip Compression Plate

Please prefix TI with below item codes for Titanium.



Dynamic Compression Holes

Holes	130°	135°	140°	145°	150°
2	756.3002	756.3502	756.4002	756.4502	756.5002
3	756.3003	756.3503	756.4003	756.4503	756.5003
4	756.3004	756.3504	756.4004	756.4504	756.5004
5	756.3005	756.3505	756.4005	756.4505	756.5005
6	756.3006	756.3506	756.4006	756.4506	756.5006
7	756.3007	756.3507	756.4007	756.4507	756.5007
8	756.3008	756.3508	756.4008	756.4508	756.5008
9	756.3009	756.3509	756.4009	756.4509	756.5009
10	756.3010	756.3510	756.4010	756.4510	756.5010
12	756.3012	756.3512	756.4012	756.4512	756.5012
14	756.3014	756.3514	756.4014	756.4514	756.5014
16	756.3016	756.3516	756.4016	756.4516	756.5016
18	756.3018	756.3518	756.4018	756.4518	756.5018
20	756.3020	756.3520	756.4020	756.4520	756.5020
22	756.3022	756.3522	756.4022	756.4522	756.5022

Dynamic Hip Compression Plate, Short Barrel



Holes	Stainless Steel	Titanium
4	757.3504	TI-757.3504
5	757.3505	TI-757.3505
6	757.3506	TI-757.3506
7	757.3507	TI-757.3507
8	757.3508	TI-757.3508
9	757.3509	TI-757.3509
10	757.3510	TI-757.3510

95° DCS Plate



Holes	Stainless Steel	Titanium
6	760.006	TI-760.006
7	760.007	TI-760.007
8	760.008	TI-760.008
9	760.009	TI-760.009
10	760.010	TI-760.010
12	760.012	TI-760.012
14	760.014	TI-760.014
15	760.015	TI-760.015
16	760.016	TI-760.016
18	760.018	TI-760.018
20	760.020	TI-760.020
22	760.022	TI-760.022

DHS/DCS Compression Screws



	Stainless Steel	Titanium
Code	761.800	TI-761.800

DHS/DCS Screws (with Compression Screws)

Length (mm)	Stainless Steel	Titanium
50	761.050	TI-761.050
55	761.055	TI-761.055
60	761.060	TI-761.060
65	761.065	TI-761.065
70	761.070	TI-761.070
75	761.075	TI-761.075
80	761.080	TI-761.080
85	761.085	TI-761.085
90	761.090	TI-761.090
95	761.095	TI-761.095
100	761.100	TI-761.100
105	761.105	TI-761.105
110	761.110	TI-761.110
115	761.115	TI-761.115
120	761.120	TI-761.120
125	761.125	TI-761.125
130	761.130	TI-761.130
135	761.135	TI-761.135
140	761.140	TI-761.140
145	761.145	TI-761.145



2100-3.2-145 Drill Bit with Quick Coupling, Ø3.2mm x 145mm



2100-4.5-145 Drill Bit with Quick Coupling, Ø4.5mm x 145mm



2104-05 Bone Tap Quick Coupling, for 4.5mm Cortical Screws,



2104-07 Bone Tap Quick Coupling, for 6.5mm Cancellous Screws



3441.17 Double Drill Guide, 4.5/3.2mm



1476-6532 Double Drill Guide, 6.5/3.2mm



3443.100 Depth Gauge, Measuring range upto 100mm



3406.04 Hexagonal Screw Driver with Holding Sleeve, 3.5mm Tip



3438-02 DCS Angle Guide 95°



3438-18 DHS Angle Guide 135°



3438-03 DHS Tripple Reamer



3438-04 DCS Tripple Reamer



3438-07 DHS-DCS Centering Sleeve, Short



3438-08 DHS-DCS Centering Sleeve, Long



3438-12 DHS-DCS Tap For DHS Instruments



3438-05 DHS-DCS Wrench



3438-09 DHS-DCS ImpactorType-I



3438-09a DHS-DCS ImpactorType-II



3438-11L Coupling Screw Long For Inserting DHS-DCS Screw



3438-16L Guide Shaft For Coupling Screw- Long



3438-10 Long Coupling Screw For DHS DCS Screw Removal



3438-06 T-Handle with Quick Coupling For DHS-DCS System



GW-2.5-250 Guide Wire With Threaded Trocar Tip Ø2.5mm x 10mm Thread Length x Length 250mm



3438-15 DHS-DCS Direct Measuring Device



3412.03

Drill Guide For Neutral and Loaded Position, Ø4.5mm/3.2mm



3408.04

Hexagonal Screw Driver Shaft- 3.5mm Tip, Quick Coupling



3402.000

T-Handle with Quick Coupling



1477-130

DHS Angle Guide 130°



1478-2.5-250

Stylet Ø2.5mm



451-2.5-250

Kirschner Wire with Trocar Tip Both End Ø2.5mm x Length 250mm



1472-054

Quick Coupling Shaft


3443.38-3.5

Extraction Screw Ø3.5mm


1479-001

Quick Coupling Silicon Handle


3415.000


Screw Holding Forcep



ST-2312

Screw Tray For DHS-DCS System


IC-2312

Instrument Box For DHS DCS System



IS005 DHS-DCS Implants Set


Code	Set Consisting of	Units
	DHS Plate - 135°	
756.3504	4 Holes	1
756.3505	5 Holes	1
756.3506	6 Holes	1
756.3508	8 Holes	1
	DCS Plate - 95°	
760.006	6 Holes	1
760.008	8 Holes	1
760.010	10 Holes	1
760.012	12 Holes	1
760.014	14 Holes	1
760.016	16 Holes	1
	DHS/ DCS Screws with Compression Screws	
761.050	50 mm	1
761.055	55 mm	1
761.060	60 mm	1
761.065	65 mm	1
761.070	70 mm	1
761.075	75 mm	1
761.080	80 mm	1
761.085	85 mm	1
761.090	90 mm	1
761.095	95 mm	1
761.100	100 mm	1
761.105	105 mm	1
761.110	110 mm	1
761.115	115 mm	1
A10.014	Aluminium Box for DHS- DCS Implant Set	1

DHS-DCS Screw Tray



4.5mm Cortical Screws



Length (mm)	Stainless Steel	Titanium
20	105.020	TI-105.020
22	105.022	TI-105.022
24	105.024	TI-105.024
26	105.026	TI-105.026
28	105.028	TI-105.028
30	105.030	TI-105.030
32	105.032	TI-105.032
34	105.034	TI-105.034
36	105.036	TI-105.036
38	105.038	TI-105.038
40	105.040	TI-105.040
42	105.042	TI-105.042
44	105.044	TI-105.044
46	105.046	TI-105.046
48	105.048	TI-105.048
50	105.050	TI-105.050

6.5mm Cancellous Screws, 16mm Thread





Length (mm)	Stainless Steel	Titanium
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100

6.5mm Cancellous Screws, 32mm Thread



Length (mm)	Stainless Steel	Titanium
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100

2312.000 Instrument System for DHS/DCS System



2312.000 Instrument System for DHS/DCS System

Code	Set Consisting of	Units
2100-3.2-145	Drill Bit with Quick Coupling, Ø3.2mm x 145mm	3
2100-4.5-145	Drill Bit with Quick Coupling, Ø4.5mm x 145mm	2
2104-05	Bone Tap Quick Coupling, for 4.5mm Cortical Screws,	1
2104-07	Bone Tap Quick Coupling, for 6.5mm Cancellous Screws	1
3441.17	Double Drill Guide, 4.5/3.2mm	1
1476-6532	Double Drill Guide, 6.5/3.2mm	1
3443.100	Depth Gauge, Measuring range upto 100mm	1
3406.04	Hexagonal Screw Driver with Holding Sleeve, 3.5mm Tip	1
3438-02	DCS Angle Guide 95°	1
3438-18	DHS Angle Guide 135°	1
3438-03	DHS Tripple Reamer	1
3438-04	DCS Tripple Reamer	1
3438-07	DHS-DCS Centering Sleeve, Short	1
3438-08	DHS-DCS Centering Sleeve, Long	1
3438-12	DHS-DCS Tap For DHS Instruments	1
3438-05	DHS-DCS Wrench	1
3438-09	DHS-DCS Impactor Type-I	1
3438-09a	DHS-DCS Impactor Type-II	1
3438-11L	Coupling Screw Long For Inserting DHS-DCS Screw	1
3438-16L	Guide Shaft For Coupling Screw- Long	1
3438-10	Long Coupling Screw For DHS DCS Screw Removal	1
3438-06	T-Handle with Quick Coupling For DHS-DCS System	1
GW-2.5-250	Guide Wire With Threaded Trocar Tip Ø2.5mm x 10mm Thread Length x Length 250mm	3
3438-15	DHS-DCS Direct Measuring Device	1
3412.03	Drill Guide For Neutral and Loaded Position, Ø4.5mm/3.2mm	1
3408.04	Hexagonal Screw Driver Shaft- 3.5mm Tip, Quick Coupling	1
3402.000	T-Handle with Quick Coupling	1
1477-130	DHS Angle Guide 130°	1
1478-2.5-250	Stylet Ø2.5mm	1
451-2.5-250	Kirschner Wire with Trocar Tip Both End Ø2.5mm x Length 250mm	3
1472-054	Quick Coupling Shaft	1
3443.38-3.5	Extraction Screw Ø3.5mm	1
1479-001	Quick Coupling Silicon Handle	1
3415.000	Screw Holding Forcep	1
ST-2312	Screw Tray For DHS-DCS System	1
IC-2312	Instrument Box For DHS DCS System	1

**USA**

Auxein Inc.

1500 Nw 89th Court, Suite 205, Doral, Florida 33172

Tel: +1 305 395 6062

E Fax: +1 305 395 6262

Email: USoffice@auxein.com

INDIA

Auxein Medical Pvt. Ltd.

Plot No. 168-169-170, Phase-4, Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana

Tel: +91 99106 43638

Fax: +91 86077 70197

Email: info@auxein.com

www.auxein.com