

JIN TYPE - HUMERUS

JIN TYPE - HUMERUS NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

US FDA 510K APPROVED •

(Locking Plates and Screws)

EC Certificate - Class IIa & IIb •

ISO 13485:2016 •

ISO 9001:2015 •

India FDA Approved •

GMP Certificate •

Orthopaedic Implants

JIN Type - Humerus Nail

Ø Dia	Length	Stainless Steel	Titanium
6mm	180mm	1296-6.0-180	TI-1296-6.0-180
6mm	200mm	1296-6.0-200	TI-1296-6.0-200
6mm	220mm	1296-6.0-220	TI-1296-6.0-220
6mm	240mm	1296-6.0-240	TI-1296-6.0-240
6mm	260mm	1296-6.0-260	TI-1296-6.0-260
6mm	280mm	1296-6.0-280	TI-1296-6.0-280
6mm	300mm	1296-6.0-300	TI-1296-6.0-300
6mm	320mm	1296-6.0-320	TI-1296-6.0-320
7mm	180mm	1296-7.0-180	TI-1296-7.0-180
7mm	200mm	1296-7.0-200	TI-1296-7.0-200
7mm	220mm	1296-7.0-220	TI-1296-7.0-220
7mm	240mm	1296-7.0-240	TI-1296-7.0-240
7mm	260mm	1296-7.0-260	TI-1296-7.0-260
7mm	280mm	1296-7.0-280	TI-1296-7.0-280
7mm	300mm	1296-7.0-300	TI-1296-7.0-300
7mm	320mm	1296-7.0-320	TI-1296-7.0-320
8mm	180mm	1296-8.0-180	TI-1296-8.0-180
8mm	200mm	1296-8.0-200	TI-1296-8.0-200
8mm	220mm	1296-8.0-220	TI-1296-8.0-220
8mm	240mm	1296-8.0-240	TI-1296-8.0-240
8mm	260mm	1296-8.0-260	TI-1296-8.0-260
8mm	280mm	1296-8.0-280	TI-1296-8.0-280
8mm	300mm	1296-8.0-300	TI-1296-8.0-300
8mm	320mm	1296-8.0-320	TI-1296-8.0-320
9mm	180mm	1296-9.0-180	TI-1296-9.0-180
9mm	200mm	1296-9.0-200	TI-1296-9.0-200
9mm	220mm	1296-9.0-220	TI-1296-9.0-220
9mm	240mm	1296-9.0-240	TI-1296-9.0-240
9mm	260mm	1296-9.0-260	TI-1296-9.0-260
9mm	280mm	1296-9.0-280	TI-1296-9.0-280
9mm	300mm	1296-9.0-300	TI-1296-9.0-300
9mm	320mm	1296-9.0-320	TI-1296-9.0-320
10mm	180mm	1296-10.0-180	TI-1296-10.0-180
10mm	200mm	1296-10.0-200	TI-1296-10.0-200
10mm	220mm	1296-10.0-220	TI-1296-10.0-220
10mm	240mm	1296-10.0-240	TI-1296-10.0-240
10mm	260mm	1296-10.0-260	TI-1296-10.0-260
10mm	280mm	1296-10.0-280	TI-1296-10.0-280
10mm	300mm	1296-10.0-300	TI-1296-10.0-300
10mm	320mm	1296-10.0-320	TI-1296-10.0-320



Stainless Steel

Titanium

Ø3.5mm Locking Bolt, Self-Tapping, For JIN Type - Humerus Nail

Length	Stainless Steel	Titanium
20mm	1296-3.5-20	TI-1296-3.5-20
25mm	1296-3.5-25	TI-1296-3.5-25
30mm	1296-3.5-30	TI-1296-3.5-30
35mm	1296-3.5-35	TI-1296-3.5-35
40mm	1296-3.5-40	TI-1296-3.5-40
45mm	1296-3.5-45	TI-1296-3.5-45
50mm	1296-3.5-50	TI-1296-3.5-50
55mm	1296-3.5-55	TI-1296-3.5-55
60mm	1296-3.5-60	TI-1296-3.5-60
65mm	1296-3.5-65	TI-1296-3.5-65
70mm	1296-3.5-70	TI-1296-3.5-70
75mm	1296-3.5-75	TI-1296-3.5-75
80mm	1296-3.5-80	TI-1296-3.5-80




End Cap For JIN Type - Humerus Nail

Stainless Steel	Titanium
1296-001	TI-1296-001



INS-1296-01 Proximal Targeting Arm



INS-1296-02 Distal Targeting Arm



INS-1296-03 Bolt For Distal Targeting Device M6- Hex 5mm



INS-1296-04 Positioning Rod Ø5mm



INS-1296-05 Positioning Block




INS-1296-06 Trocar, Ø6mm



INS-1296-08 Drill Sleeve 8/5.7mm For Drill Bit Ø5.5mm



INS-1296-10 Drill Sleeve Ø8/6mm



INS-1296-11 Depth Gauge Drill Sleeve Ø6mm For Drill Bit Ø2.9/3.5mm



INS-1296-12 Insertion Handle



INS-1296-13 Nail Holding Bolt



INS-1296-15 Step Drill Bit Plain Shank/Jacob Chuck End Ø2.9/3.5mm x Length 250mm




INS-1296-16 Distal Targeting Device (Length 180mm To 320mm)



INS-1296-07 Drill Bit Plain Shank/Jacob Chuck End Ø5.5mm x Length 300mm



INS-1296-17 Cannulated Awl



INS-1296-18 Combination Wrench, Hex 12mm



INS-1296-19 Handle For Reamer (AO Connection)



INS-1296-20 Allen Key, Hex 5mm



INS-1296-21 T-Handle Screw Driver, Hex 3.5mm



INS-1296-22 Positioning Flat Drill Ø5.5mm For Positioning Rod



INS-1296-23 T-Handle Tap For Ø3.5mm Locking Bolt



INS-1296-24 T-Handle Screw Driver, Hex 2.5mm For Locking Bolt



INS-1296-26 Fixed Reamer Ø7mm x Length 400mm With Quick Coupling End



INS-1296-27 Fixed Reamer Ø8mm x Length 400mm With Quick Coupling End



INS-1296-28 Fixed Reamer Ø9mm x Length 400mm With Quick Coupling End



INS-1296-29 Fixed Reamer Ø10mm x Length 400mm With Quick Coupling End



7-023-04 Flexible Reamer Ø6.5mm



7-023-05 Flexible Reamer Ø7mm



7-023-06 Flexible Reamer Ø8mm



7-023-07 Flexible Reamer Ø9mm



7-023-13


Flexible Reamer, Ø10mm


7-023-01

Protection Sleeve For Entry Reamer


7-023-03

Quick Coupling Handle for Jacob Connection


7-023-08

Radiographic Ruler For JIN Type- Humerus Nail


7-023-15

Guide Wire with Threaded Tip, Ø2.5mm x Length 200mm


7-023-14

Extraction Handle for JIN Type- Tibia Nail



INS-1296-30

Extraction Rod With Ram


7-023-12

Plastic Exchange Tube for JIN Type- Humerus Nail


INS-1296-32


Guide Wire with Ball Tip Ø3.2mm/2.5mm x Length 1000mm - Nitinol


7-023-02

Entry Reamer


7-023-09

Wire Pusher


7-023-11

Reduction Device




INS-1296T


Instrument Trays For JIN Type- Humerus Nailing Instrument Set


INS-1296B

Container For JIN Type- Humerus Nailing Instrument Set





INS-1296-000 JIN Type- Humerus Nailing Instrument Set



INS-1296-000 JIN Type- Humerus Nailing Instrument Set

Code	Set Consisting of	Units
INS-1296-01	Proximal Targeting Arm	1
INS-1296-02	Distal Targeting Arm	1
INS-1296-03	Bolt For Distal Targeting Device M6- Hex 5mm	2
INS-1296-04	Positioning Rod Ø5mm	1
INS-1296-05	Positioning Block	1
INS-1296-06	Trocar, Ø6mm	1
INS-1296-08	Drill Sleeve 8/5.7mm For Drill Bit Ø5.5mm	1
INS-1296-10	Drill Sleeve Ø8/6mm	2
INS-1296-11	Depth Gauge Drill Sleeve Ø6mm For Drill Bit Ø2.9/3.5mm	1
INS-1296-12	Insertion Handle	1
INS-1296-13	Nail Holding Bolt	1
INS-1296-15	Step Drill Bit Plain Shank/Jacob Chuck End Ø2.9/3.5mm x Length 250mm	2
INS-1296-16	Distal Targeting Device (Length 180mm To 320mm)	1
INS-1296-07	Drill Bit Plain Shank/Jacob Chuck End Ø5.5mm x Length 300mm	1
INS-1296-17	Cannulated Awl	1
INS-1296-18	Combination Wrench, Hex 12mm	1
INS-1296-19	Handle For Reamer (AO Connection)	1
INS-1296-20	Allen Key, Hex 5mm	1
INS-1296-21	T-Handle Screw Driver, Hex 3.5mm	1
INS-1296-22	Positioning Flat Drill Ø5.5mm For Positioning Rod	1
INS-1296-23	T-Handle Tap For Ø3.5mm Locking Bolt	1
INS-1296-24	T-Handle Screw Driver, Hex 2.5mm For Locking Bolt	1
INS-1296-26	Fixed Reamer Ø7mm x Length 400mm With Quick Coupling End	1
INS-1296-27	Fixed Reamer Ø8mm x Length 400mm With Quick Coupling End	1
INS-1296-28	Fixed Reamer Ø9mm x Length 400mm With Quick Coupling End	1
INS-1296-29	Fixed Reamer Ø10mm x Length 400mm With Quick Coupling End	1
7-023-04	Flexible Reamer Ø6.5mm	1
7-023-05	Flexible Reamer Ø7mm	1
7-023-06	Flexible Reamer Ø8mm	1
7-023-07	Flexible Reamer Ø9mm	1
7-023-13	Flexible Reamer, Ø10mm	1
7-023-01	Protection Sleeve For Entry Reamer	1
7-023-03	Quick Coupling Handle for Jacob Connection	1
7-023-08	Radiographic Ruler For JIN Type- Humerus Nail	1
7-023-15	Guide Wire with Threaded Tip, Ø2.5mm x Length 200mm	1

Code	Set Consisting of	Units
7-023-14	Extraction Handle for JIN Type- Tibia Nail	1
INS-1296-30	Extraction Rod With Ram	1
7-023-12	Plastic Exchange Tube for JIN Type- Humerus Nail	1
INS-1296-32	Guide Wire with Ball Tip Ø3.2mm/2.5mm x Length 1000mm - Nitinol	1
7-023-02	Entry Reamer	1
7-023-09	Wire Pusher	1
7-023-11	Reduction Device	1
INS-1296T	Instrument Trays For JIN Type- Humerus Nailing Instrument Set	3
INS-1296B	Container For JIN Type- Humerus Nailing Instrument Set	1

7-006 Flexible Reamer Instrument set

1459-006 Flexible Reamer Shaft (AO Connection)

Reamer Head

Code	Dia
7-006-01	Ø8mm
1459-008	Ø8.5mm
1459-009	Ø9mm
1459-010	Ø9.5mm
1459-011	Ø10mm
1459-012	Ø10.5mm
1459-013	Ø11mm
1459-014	Ø11.5mm

Code	Dia
1459-015	Ø12mm
1459-016	Ø12.5mm
1459-017	Ø13mm
1459-018	Ø13.5mm
1459-019	Ø14mm
7-006-02	Ø14.5mm
7-006-03	Ø15mm



**USA**

Auxein Inc.

1500 Nw 89th Court, Suite 205, Doral, Florida 33172

Tel: +1 305 395 6062

E Fax: +1 305 395 6262

Email: USoffice@auxein.com

INDIA

Auxein Medical Pvt. Ltd.

Plot No. 168-169-170, Phase-4, Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana

Tel: +91 99106 43638

Fax: +91 86077 70197

Email: info@auxein.com

www.auxein.com