

JIN TYPE - TIBIA

JIN TYPE - TIBIA NAILING SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

US FDA 510K APPROVED •

(Locking Plates and Screws)

EC Certificate - Class IIa & IIb •

ISO 13485:2016 •

ISO 9001:2015 •

India FDA Approved •

Orthopaedic Implants

JIN Type -Tibia Nail

Ø Dia	Length	Stainless Steel	Titanium
8.0mm	240mm	1294-8-240	TI-1294-8-240
8.0mm	260mm	1294-8-260	TI-1294-8-260
8.0mm	280mm	1294-8-280	TI-1294-8-280
8.0mm	300mm	1294-8-300	TI-1294-8-300
8.0mm	320mm	1294-8-320	TI-1294-8-320
8.0mm	340mm	1294-8-340	TI-1294-8-340
8.0mm	360mm	1294-8-360	TI-1294-8-360
8.0mm	380mm	1294-8-380	TI-1294-8-380
9.0mm	240mm	1294-9-240	TI-1294-9-240
9.0mm	260mm	1294-9-260	TI-1294-9-260
9.0mm	280mm	1294-9-280	TI-1294-9-280
9.0mm	300mm	1294-9-300	TI-1294-9-300
9.0mm	320mm	1294-9-320	TI-1294-9-320
9.0mm	340mm	1294-9-340	TI-1294-9-340
9.0mm	360mm	1294-9-360	TI-1294-9-360
9.0mm	380mm	1294-9-380	TI-1294-9-380
10.0mm	240mm	1294-10-240	TI-1294-10-240
10.0mm	260mm	1294-10-260	TI-1294-10-260
10.0mm	280mm	1294-10-280	TI-1294-10-280
10.0mm	300mm	1294-10-300	TI-1294-10-300
10.0mm	320mm	1294-10-320	TI-1294-10-320
10.0mm	340mm	1294-10-340	TI-1294-10-340
10.0mm	360mm	1294-10-360	TI-1294-10-360
10.0mm	380mm	1294-10-380	TI-1294-10-380
11.0mm	240mm	1294-11-240	TI-1294-11-240
11.0mm	260mm	1294-11-260	TI-1294-11-260
11.0mm	280mm	1294-11-280	TI-1294-11-280
11.0mm	300mm	1294-11-300	TI-1294-11-300
11.0mm	320mm	1294-11-320	TI-1294-11-320
11.0mm	340mm	1294-11-340	TI-1294-11-340
11.0mm	360mm	1294-11-360	TI-1294-11-360
11.0mm	380mm	1294-11-380	TI-1294-11-380
12.0mm	240mm	1294-12-240	TI-1294-12-240
12.0mm	260mm	1294-12-260	TI-1294-12-260
12.0mm	280mm	1294-12-280	TI-1294-12-280
12.0mm	300mm	1294-12-300	TI-1294-12-300
12.0mm	320mm	1294-12-320	TI-1294-12-320
12.0mm	340mm	1294-12-340	TI-1294-12-340
12.0mm	360mm	1294-12-360	TI-1294-12-360
12.0mm	380mm	1294-12-380	TI-1294-12-380



Stainless Steel

Titanium

Ø4.5mm Locking Bolt, Self-Tapping, For JIN Type - Tibia Nail

Length	Stainless Steel	Titanium
20mm	1294-4.5-20	TI-1294-4.5-20
25mm	1294-4.5-25	TI-1294-4.5-25
30mm	1294-4.5-30	TI-1294-4.5-30
35mm	1294-4.5-35	TI-1294-4.5-35
40mm	1294-4.5-40	TI-1294-4.5-40
45mm	1294-4.5-45	TI-1294-4.5-45
50mm	1294-4.5-50	TI-1294-4.5-50
55mm	1294-4.5-55	TI-1294-4.5-55
60mm	1294-4.5-60	TI-1294-4.5-60
65mm	1294-4.5-65	TI-1294-4.5-65
70mm	1294-4.5-70	TI-1294-4.5-70
75mm	1294-4.5-75	TI-1294-4.5-75
80mm	1294-4.5-80	TI-1294-4.5-80


End Cap For JIN Type - Tibia Nail

Stainless Steel	Titanium
1294-001	TI-1294-001



INS-1294-01 Drill Sleeve 8/4mm (For Drill Bit Ø4mm)



INS-1294-02 Protection Sleeve 10/8.2mm (For Drill Bit Ø4mm)



INS-1294-03 Drill Sleeve 8/5.3mm (For Drill Bit Ø5.2mm)



INS-1294-04 Trocar, Ø8mm



Reamer Head

Code	Dia	Code	Dia
INS-1294-05	Ø11mm	INS-1294-11	Ø8mm
INS-1294-06	Ø10.5mm	7-021-04	Ø13mm
INS-1294-07	Ø10mm	7-021-05	Ø12.5mm
INS-1294-08	Ø9.5mm	7-021-06	Ø12mm
INS-1294-09	Ø9mm	7-021-07	Ø11.5mm
INS-1294-10	Ø8.5mm		



INS-1294-13 Stopper For Drill Bit Ø4mm



INS-1294-14 Flexible Reaming Shaft (For Reamer Head Ø8mm to 13mm)



INS-1294-15 Positioning Flat Drill Ø5.2mm (For Positioning Rod)



INS-1294-17 Cannulated Awl



INS-1294-18 Right Angle Locking Device Ø4mm



INS-1294-19 Drill Bit Plain Shank/ Jacob Chuck End Ø4mm x Length 300mm



INS-1294-20 Depth gauge, measuring upto 90mm



INS-1294-21 Hexagonal Screw Driver With T-Handle, Hex 3.5mm



INS-1294-22 Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm



INS-1294-23 Guide Wire with Ball Tip Ø3.5mm/2.5mm x Length 1000mm - Stainless Steel



INS-1294-25 Wrench, Hex 12mm



INS-1294-26 Allen Key, Hex 3.0mm



INS-1294-27 Proximal Targeting Arm



INS-1294-28 Distal Targeting Arm



INS-1294-29 Insertion Handle



INS-1294-30 Positioning Block (For Positioning Rod)



INS-1294-31 Bolt (For Distal Targeting Arm)



INS-1294-12 Bolt (For Proximal Targeting Arm & Distal Targeting Device)



INS-1294-32 Positioning Rod, Ø5mm



INS-1294-33 Allen Key, Hex 5mm




INS-1294-34 Extraction Rod With Ram



INS-1294-35 Extraction Handle for JIN Type- Tibia Nail



INS-1294-36 Tissue protector



INS-1294-37 Distal Targeting Device (Length 240mm To 380mm)



INS-1294-38


Nail Holding Bolt


INS-1294-39

Ø4.5mm Tap With T-Handle


INS-1294-40

T-Handle For Flexible Reaming Shaft (INS-1294-14)


INS-1294-41

Guide Wire Introducer (For 2.5mm Wire)


7-021-01

Radiographic Ruler For Long JIN-Type Tibia Nail


7-021-02

Reduction Device



7-021-03


Plastic exchange tube For JIN-Type Tibia Nail


7-021-08

Guide Wire with Threaded Tip, Ø3.2mm x Length 300mm


INS-1294T


Instrument Trays For JIN Type- Tibia Nailing Instrument Set


INS-1294B

Container For JIN Type- Tibia Nailing Instrument Set



INS-1294 JIN Type- Tibia Nailing Instrument Set




INS-1294 JIN Type- Tibia Nailing Instrument Set


Code	Set Consisting of	Units
INS-1294-01	Drill Sleeve 8/4mm (For Drill Bit Ø4mm)	2
INS-1294-02	Protection Sleeve 10/8.2mm (For Drill Bit Ø4mm)	2
INS-1294-03	Drill Sleeve 8/5.3mm (For Drill Bit Ø5.2mm)	1
INS-1294-04	Trocar, Ø8mm	1
INS-1294-05	Reamer Head, Ø11mm	1
INS-1294-06	Reamer Head, Ø10.5mm	1
INS-1294-07	Reamer Head, Ø10mm	1
INS-1294-08	Reamer Head, Ø9.5mm	1
INS-1294-09	Reamer Head, Ø9mm	1
INS-1294-10	Reamer Head, Ø8.5mm	1
INS-1294-11	Reamer Head, Ø8mm	1
7-021-04	Reamer Head, Ø13mm	1
7-021-05	Reamer Head, Ø12.5mm	1
7-021-06	Reamer Head, Ø12mm	1
7-021-07	Reamer Head, Ø11.5mm	1
INS-1294-13	Stopper For Drill Bit Ø4mm	1
INS-1294-14	Flexible Reaming Shaft (For Reamer Head Ø8mm to 13mm)	2
INS-1294-15	Positioning Flat Drill Ø5.2mm (For Positioning Rod)	1
INS-1294-17	Cannulated Awl	1
INS-1294-18	Right Angle Locking Device Ø4mm	1
INS-1294-19	Drill Bit Plain Shank/ Jacob Chuck End Ø4mm x Length 300mm	2
INS-1294-20	Depth gauge, measuring upto 90mm	1
INS-1294-21	Hexagonal Screw Driver With T-Handle, Hex 3.5mm	1
INS-1294-22	Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm	1
INS-1294-23	Guide Wire with Ball Tip Ø3.5mm/2.5mm x Length 1000mm - Stainless Steel	2
INS-1294-25	Wrench, Hex 12mm	1
INS-1294-26	Allen Key, Hex 3.0mm	1
INS-1294-27	Proximal Targeting Arm	1
INS-1294-28	Distal Targeting Arm	1
INS-1294-29	Insertion Handle	1
INS-1294-30	Positioning Block (For Positioning Rod)	1
INS-1294-31	Bolt (For Distal Targeting Arm)	1
INS-1294-12	Bolt (For Proximal Targeting Arm & Distal Targeting Device)	2
INS-1294-32	Positioning Rod, Ø5mm	1

Code	Set Consisting of	Units
INS-1294-33	Allen Key, Hex 5mm	1
INS-1294-34	Extraction Rod With Ram	1
INS-1294-35	Extraction Handle for JIN Type- Tibia Nail	1
INS-1294-36	Tissue protector	1
INS-1294-37	Distal Targeting Device (Length 240mm To 380mm)	1
INS-1294-38	Nail Holding Bolt	1
INS-1294-39	Ø4.5mm Tap With T-Handle	1
INS-1294-40	T-Handle For Flexible Reaming Shaft (INS-1294-14)	1
INS-1294-41	Guide Wire Introducer (For 2.5mm Wire)	1
7-021-01	Radiographic Ruler For Long JIN-Type Tibia Nail	1
7-021-02	Reduction Device	1
7-021-03	Plastic exchange tube For JIN-Type Tibia Nail	1
7-021-08	Guide Wire with Threaded Tip, Ø3.2mm x Length 300mm	3
INS-1294T	Instrument Trays For JIN Type- Tibia Nailing Instrument Set	3
INS-1294B	Container For JIN Type- Tibia Nailing Instrument Set	1

7-006 Flexible Reamer Instrument set



1459-006 Flexible Reamer Shaft (AO Connection)



Reamer Head

Code	Dia	Code	Dia
7-006-01	Ø8mm	1459-015	Ø12mm
1459-008	Ø8.5mm	1459-016	Ø12.5mm
1459-009	Ø9mm	1459-017	Ø13mm
1459-010	Ø9.5mm	1459-018	Ø13.5mm
1459-011	Ø10mm	1459-019	Ø14mm
1459-012	Ø10.5mm	7-006-02	Ø14.5mm
1459-013	Ø11mm	7-006-03	Ø15mm
1459-014	Ø11.5mm		



**USA**

Auxein Inc.

1500 Nw 89th Court, Suite 205, Doral, Florida 33172

Tel: +1 305 395 6062

E Fax: +1 305 395 6262

Email: USoffice@auxein.com

INDIA

Auxein Medical Pvt. Ltd.

Plot No. 168-169-170, Phase-4, Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana

Tel: +91 99106 43638

Fax: +91 86077 70197

Email: info@auxein.com

www.auxein.com