

WISE-LOCK SYSTEM

WISE-LOCK SYSTEM



about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

US FDA 510K APPROVED •

(Locking Plates and Screws)

EC Certificate - Class IIa & IIb •

ISO 13485:2016 •

ISO 9001:2015 •

India FDA Approved •

GMP Certificate •

Orthopaedic Implants

Contents


2.4mm Wise-Lock Distal Radius System	1.1-1.30
3.5mm Wise-Lock Small Fragment System	2.1 - 2.93
5.0mm Wise-Lock Large Fragment System	3.1 - 3.56
5.0mm Wise-Lock Large Fragment LISS System	4.1 - 4.18

WISE-LOCK SYSTEM

SPANISH | ENGLISH

2.4mm

Distal Radius



Indications


Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Dorsal Approach


- Dorsally displaced fractures
- Extra-articular fractures with metaphyseal defect
- Combination of distal radius with carpal and metacarpal fractures
- Corrective osteotomies

2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight

Placa Dorsal Radio Distal Bloqueada Recta 2,4mm



Holes Orificios	Titanium Titanio
5	TI-M01.05
6	TI-M01.06



2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes)

Placa Dorsal Radio Distal Bloqueada en T 2,4mm (cabeza con 3 orificios)



Holes Orificios	Titanium Titanio
3	TI-M08.03
4	TI-M08.04

2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes)


Placa Dorsal Radio Distal Bloqueada 2,4mm (Cabeza Con 2 Orificios)



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M02.03	TI-M03.03
4	TI-M02.04	TI-M03.04

2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes)


Placa dorsal radio distal bloqueada 2,4mm (cabeza con 3 orificios)




Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M04.03	TI-M05.03
4	TI-M04.04	TI-M05.04

2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique

Placa Dorsal Radio Distal Bloqueada Oblicuo 2,4mm



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M06.03	TI-M07.03
4	TI-M06.04	TI-M07.04



Indications

Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Palmar Approach

- Reversed Barton
- Palmarly displaced extra-articular fractures (Goyrand-Smith)
- Dorsally displaced extra-articular (Colles) and articular fractures
- Extra-articular fractures with extension into the shaft (extra-long plates)

2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes)

Placa Volar Radio Distal Bloqueada Izquierda 2,4mm (Cabeza con 5 Orificios)




Round
locking hole



Compression and
locking hole




Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M09.03	TI-M10.03
5	TI-M09.05	TI-M10.05



2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes)


Placa Volar Radio Distal Bloqueada Izquierda Extra Articular 2,4mm
(Cabeza con 5 Orificios)



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M12.03	TI-M13.03
5	TI-M12.05	TI-M13.05

2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes)

Placa Volar Radio Distal Bloqueada Izquierda Extra Articular 2,4mm
(Cabeza con 4 Orificios)




Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M14.03	TI-M15.03
5	TI-M14.05	TI-M15.05

2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes)

Placa Volar Radio Distal Bloqueada 2,4mm
(Cabeza con 5 Orificios)



Round
locking hole




Compression and
locking hole



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-M11.03L	TI-M11.03R

2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes)

Placa Volar Radio Distal Bloqueda Extra Larga 2,4mm
(Cabeza con 4 Orificios)



Round
locking hole




Compression and
locking hole



Head with 4 Holes
cabeza con 4 orificios

Holes Orificios	Titanium Titanio
8	TI-M16.08
10	TI-M16.10
12	TI-M16.12

**Indications**

The Wise Lock Volar Column Plate 2.4 is indicated for the fixation of complex intra- and extra-articular fractures and osteotomies of the distal radius and other small bones.

2.4mm Wise-Lock Volar Column Distal Radius Plate, (8 Head Holes)

Placa Radio Distal Columna Volar Bloqueada 2,4 mm
(Cabeza con 8 Orificios)



Round
locking hole



Compression and
locking hole



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-759.103L	TI-759.103R
4	TI-759.104L	TI-759.104R
5	TI-759.105L	TI-759.105R

2.4mm Wise Lock Volar Column Distal Radius Plate (9 Head Holes)

Placa Volar Radio Distal Bloqueada Izquierda Extra Articular 2,4mm
(Cabeza con 9 Orificios)



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
	Titanium Titanio	Titanium Titanio
3	TI-759.203L	TI-759.203R
4	TI-759.204L	TI-759.204R
5	TI-759.205L	TI-759.205R



Indications

Extra-articular and intra-articular fractures of the proximal radius and multi-fragmented radial neck fractures


2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim

Placa Para Borde de Cabeza de Radio Proximal Bloqueada 2,4mm



5 Head Holes

Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección derecha
	Titanium Titanio	Titanium Titanio
2	TI-544.002L	TI-544.002R
3	TI-544.003L	TI-544.003R
4	TI-544.004L	TI-544.004R

 Round
locking hole

 Compression and
locking hole

2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck

Placa para Cuello de cabeza de radio proximal bloqueada 2,4mm



5 Head Holes

Holes Orificios	Titanium Titanio
2	TI-545.002
3	TI-545.003
4	TI-545.004

2.5mm Wise-Lock "T" Wrist Volar Plate


Placa Para Volar de Puño en T Bloqueada



2.5mm round
locking hole



3.5mm round
locking hole



	Left Direction Dirección izquierda	Right Direction Dirección Derecha
Holes Orificios	Titanium Titanio	Titanium Titanio
3	6137/06	6136/06
4	6137/01	6136/01
5	6137/07	6136/07
6	6137/02	6136/02
7	6137/08	6136/08
8	6137/03	6136/03
10	6137/09	6136/09
12	6137/10	6136/10

2.5mm Volar Screws, Self Tapping, Partial Thread

Length (mm) Longitud (mm)	Titanium Titanio
10	6152/11
12	6152/01
14	6152/02
16	6152/03
18	6152/04
20	6152/05
22	6152/06
24	6152/07
26	6152/08
28	6152/09
30	6152/10



2.5mm Volar Screws, Self Tapping, Full Thread



Length (mm) Longitud (mm)	Titanium Titanio
10	6151/10
12	6151/01
14	6151/02
16	6151/03
18	6151/04
20	6151/05
22	6151/06
24	6151/07
26	6151/08
28	6151/09
30	6151/11

2.0mm Peg Screws

Length (mm) Longitud (mm)	Titanium Titanio
10	6153/09
12	6153/10
14	6153/11
16	6153/01
18	6153/02
20	6153/03
22	6153/04
24	6153/05
26	6153/06
28	6153/07
30	6153/08



2.4mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo 2,4mm Autoroscante

Length (mm) Longitud (mm)	Titanium Titanio
6	TI-M17.06
8	TI-M17.08
10	TI-M17.10
12	TI-M17.12
14	TI-M17.14
16	TI-M17.16
18	TI-M17.18
20	TI-M17.20
22	TI-M17.22
24	TI-M17.24
26	TI-M17.26
28	TI-M17.28
30	TI-M17.30



2.4mm Cortical Screws, Self Tapping

Tornillo Cortical 2,4mm autoroscante

Length (mm) Longitud (mm)	Titanium Titanio
6	TI-M18.06
8	TI-M18.08
10	TI-M18.10
12	TI-M18.12
14	TI-M18.14
16	TI-M18.16
18	TI-M18.18
20	TI-M18.20
22	TI-M18.22
24	TI-M18.24
26	TI-M18.26
28	TI-M18.28
30	TI-M18.30



2.7mm Cortical Screws, Self Tapping

Tornillo Cortical 2,7mm autoroscante


Length (mm) Longitud (mm)	Titanium Titanio
6	TI-103.206
8	TI-103.208
10	TI-103.210
12	TI-103.212
14	TI-103.214
16	TI-103.216
18	TI-103.218
20	TI-103.220
22	TI-103.222
24	TI-103.224
26	TI-103.226
28	TI-103.228
30	TI-103.230



2346.000

2.4mm Wise-Lock Distal Radius Plate Set - Dorsal & Volar

Set Placa Radio Distal Bloqueada de 2,4mm - Dorsal & Volar



2346.000 2.4mm Wise-Lock Distal Radius Plate Set - Dorsal & Volar
Set Placa Radio Distal Bloqueada de 2,4mm - Dorsal & Volar


Codes Referencia	Set consisting of: El Set Consiste En	Units Unidades
TI-M01.05	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 5 Holes	1 Pcs
TI-M01.06	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 6 Holes	1 Pcs
TI-M08.03	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes	1 Pcs
TI-M08.04	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes	1 Pcs
TI-M02.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Left	1 Pcs
TI-M03.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Right	1 Pcs
TI-M02.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Left	1 Pcs
TI-M03.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Right	1 Pcs
TI-M04.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Left	1 Pcs
TI-M05.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Right Angled (Head with 3 Holes), 3 Holes	1 Pcs
TI-M04.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Right	1 Pcs
TI-M05.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes - Right	1 Pcs
TI-M06.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Left	1 Pcs
TI-M07.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Right	1 Pcs
TI-M06.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Left	1 Pcs
TI-M07.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Right	1 Pcs
A10.046	Tray for 2.4mm Wise-Lock Distal Radius - Dorsal Plate	1 Pcs

Codes Referencia	Set consisting of: El Set Consiste En	Units Unidades
TI-M09.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M10.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M09.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M10.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M12.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M13.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M12.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M13.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M14.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Left	1 Pcs
TI-M15.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Right	1 Pcs
TI-M14.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Left	1 Pcs
TI-M15.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Right	1 Pcs
TI-M16.08	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 8 Holes	1 Pcs
TI-M16.10	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 10 Holes	1 Pcs
TI-M16.12	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 12 Holes	1 Pcs
TI-M11.03L	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M11.03R	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Right	1 Pcs
A10.040	Tray for 2.4mm Wise-Lock Distal Radius - Volar Plate	1 Pcs

2344.000

Screw Set for 2.4mm Distal Radius System

Set de Tornillos de 2,4mm Para Sistema Radio Distal



2344.000
Screw Set for 2.4mm Distal Radius System

Set de Tornillos de 2,4mm Para Sistema Radio Distal

Codes Referencia	Set consisting of: El Set Consiste En	Units Unidades
TI-M17.08	2.4mm Wise-Lock Screws, Self Tapping, Length 8mm	4 Pcs
TI-M17.10	2.4mm Wise-Lock Screws, Self Tapping, Length 10mm	4 Pcs
TI-M17.12	2.4mm Wise-Lock Screws, Self Tapping, Length 12mm	4 Pcs
TI-M17.14	2.4mm Wise-Lock Screws, Self Tapping, Length 14mm	4 Pcs
TI-M17.16	2.4mm Wise-Lock Screws, Self Tapping, Length 16mm	4 Pcs
TI-M17.18	2.4mm Wise-Lock Screws, Self Tapping, Length 18mm	4 Pcs
TI-M17.20	2.4mm Wise-Lock Screws, Self Tapping, Length 20mm	4 Pcs
TI-M17.22	2.4mm Wise-Lock Screws, Self Tapping, Length 22mm	4 Pcs
TI-M17.24	2.4mm Wise-Lock Screws, Self Tapping, Length 24mm	4 Pcs
TI-M17.26	2.4mm Wise-Lock Screws, Self Tapping, Length 26mm	4 Pcs
TI-M17.28	2.4mm Wise-Lock Screws, Self Tapping, Length 28mm	4 Pcs
TI-M17.30	2.4mm Wise-Lock Screws, Self Tapping, Length 30mm	4 Pcs
TI-M18.06	2.4mm Cortical Screws, Self Tapping, Length 6mm	3 Pcs
TI-M18.08	2.4mm Cortical Screws, Self Tapping, Length 8mm	3 Pcs
TI-M18.10	2.4mm Cortical Screws, Self Tapping, Length 10mm	3 Pcs
TI-M18.12	2.4mm Cortical Screws, Self Tapping, Length 12mm	3 Pcs
TI-M18.14	2.4mm Cortical Screws, Self Tapping, Length 14mm	3 Pcs
TI-M18.16	2.4mm Cortical Screws, Self Tapping, Length 16mm	3 Pcs
TI-M18.18	2.4mm Cortical Screws, Self Tapping, Length 18mm	3 Pcs
TI-M18.20	2.4mm Cortical Screws, Self Tapping, Length 20mm	3 Pcs
TI-M18.22	2.4mm Cortical Screws, Self Tapping, Length 22mm	3 Pcs
TI-M18.24	2.4mm Cortical Screws, Self Tapping, Length 24mm	3 Pcs
TI-M18.26	2.4mm Cortical Screws, Self Tapping, Length 26mm	3 Pcs
TI-M18.28	2.4mm Cortical Screws, Self Tapping, Length 28mm	3 Pcs
TI-M18.30	2.4mm Cortical Screws, Self Tapping, Length 30mm	3 Pcs
TI-103.206	2.7mm Cortical Screws, Self Tapping, Length 6mm	3 Pcs
TI-103.208	2.7mm Cortical Screws, Self Tapping, Length 8mm	3 Pcs
TI-103.210	2.7mm Cortical Screws, Self Tapping, Length 10mm	3 Pcs
TI-103.212	2.7mm Cortical Screws, Self Tapping, Length 12mm	3 Pcs
TI-103.214	2.7mm Cortical Screws, Self Tapping, Length 14mm	3 Pcs
TI-103.216	2.7mm Cortical Screws, Self Tapping, Length 16mm	3 Pcs
TI-103.218	2.7mm Cortical Screws, Self Tapping, Length 18mm	3 Pcs
TI-103.220	2.7mm Cortical Screws, Self Tapping, Length 20mm	3 Pcs
TI-103.222	2.7mm Cortical Screws, Self Tapping, Length 22mm	3 Pcs
TI-103.224	2.7mm Cortical Screws, Self Tapping, Length 24mm	3 Pcs
TI-103.226	2.7mm Cortical Screws, Self Tapping, Length 26mm	3 Pcs
TI-103.228	2.7mm Cortical Screws, Self Tapping, Length 28mm	3 Pcs
TI-103.230	2.7mm Cortical Screws, Self Tapping, Length 30mm	3 Pcs
A10.047	Screw-Tray	1 Pcs

2100-1.8-140 Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm



2100-2.0-140 Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm



2100-2.4-140 Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm



2100-2.7-140 Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm



2105-01 Guide wire with one sided Trocar tip, Ø1.5mm x Length 150mm



2105-02 Threaded Guide Wire with Trocar tip, Ø1.5mm x Length 150mm



3767-2.4 Self Centering Double Drill Guide, Ø1.8/2.4mm



3767-2.7 Self Centering Double Drill Guide, Ø2.0/2.7mm



1312-01 Depth Gauge, Upto 60mm



1312-21 Torque Limiting attachment, 0.8Nm



7-018-02 Handle for Torque limiting attachment



1312-22 Quick Coupling Handle



1312-17 Depth Gauge (with protector), upto 50mm



1312-29 Sharp Hook



1312-02 T-Handle With Quick Coupling



1312-22-6.5 Retractor, 6.5mm



1312-03-15 Retractor, 15mm



1312-23 Double Periosteal Elevator, Round



1312-24

Double Periosteal Elevator, Flat


1312-25

Reduction Forceps With Points, Small


1312-26

Reduction Forceps With Points, Large


1312-27

Reduction Forceps With Points, Serrated


1312-28

Bending Forcep


2105-03

Screwdriver, Hex 2.0mm



2105-07

Screwdriver Shaft, Hex 2.0mm


2104-01


Tap, for 2.7mm Screws


2104-10

Tap, for 2.4mm Screws


1312-14-2.0

Drill Sleeve Ø2.0mm/2.7mm


1312-13-1.8

Drill Sleeve Ø1.8mm/2.4mm


1312-20-2.7

Screw holding sleeve for 2.7mm cortical screw



1312-20-2.4 Screw holding sleeve for 2.4mm cortical screw




1312-30-2.4 Screw holding sleeve for 2.4mm wise-lock screw



2105-04 Implant Box with cover for 2.4mm Wise-Lock Distal Radius system




7-055-01 Instrument Trays for 2.4mm Wise-Lock Distal Radius set



2105-05 Container for 2.4mm Wise-Lock Distal Radius set



2300.000 2.4mm Wise-Lock Distal Radius Instrument Set




2300.000 2.4mm Wise-Lock Distal Radius Instrument Set

Codes Referencia	Set consisting of: El Set Consiste En	Units Unidades
2100-1.8-140	Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm	2
2100-2.0-140	Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm	2
2100-2.4-140	Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm	2
2100-2.7-140	Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm	2
2105-01	Guide wire with one sided Trocar tip, Ø1.5mm x Length 150mm	3
2105-02	Threaded Guide Wire with Trocar tip, Ø1.5mm x Length 150mm	3
3767-2.4	Self Centering Double Drill Guide, Ø1.8/2.4mm	1
3767-2.7	Self Centering Double Drill Guide, Ø2.0/2.7mm	1
1312-01	Depth Gauge, Upto 60mm	1
1312-21	Torque Limiting attachment, 0.8Nm	1
7-018-02	Handle for Torque limiting attachment	1
1312-22	Quick Coupling Handle	1
1312-17	Depth Gauge (with protector), upto 50mm	1
1312-29	Sharp Hook	1
1312-02	T-Handle With Quick Coupling	1
1312-22-6.5	Retractor, 6.5mm	1
1312-03-15	Retractor, 15mm	1
1312-23	Double Periosteal Elevator, Round	1
1312-24	Double Periosteal Elevator, Flat	1
1312-25	Reduction Forceps With Points, Small	1
1312-26	Reduction Forceps With Points, Large	1
1312-27	Reduction Forceps With Points, Serrated	1
1312-28	Bending Forcep	2
2105-03	Screwdriver, Hex 2.0mm	1
2105-07	Screwdriver Shaft, Hex 2.0mm	1
2104-01	Tap, for 2.7mm Screws	1
2104-10	Tap, for 2.4mm Screws	1
1312-14-2.0	Drill Sleeve Ø2.0mm/2.7mm	2
1312-13-1.8	Drill Sleeve Ø1.8mm/2.4mm	2
1312-20-2.7	Screw holding sleeve for 2.7mm cortical screw	1
1312-20-2.4	Screw holding sleeve for 2.4mm cortical screw	1
1312-30-2.4	Screw holding sleeve for 2.4mm wise-lock screw	1
2105-04	Implant Box with cover for 2.4mm Wise-Lock Distal Radius system	1
7-055-01	Instrument Trays for 2.4mm Wise-Lock Distal Radius set	2
2105-05	Container for 2.4mm Wise-Lock Distal Radius set	1

3.5mm

Small Fragment



Indications


- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus

Contraindications

- Acute infections
- Children in the growth phase

2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate

Placa Húmero Distal Dorsolateral Bloqueada 2,7mm-3,5mm



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	742.103L	TI-742.103L	742.103R	TI-742.103R
5	742.105L	TI-742.105L	742.105R	TI-742.105R
7	742.107L	TI-742.107L	742.107R	TI-742.107R
9	742.109L	TI-742.109L	742.109R	TI-742.109R
14	742.114L	TI-742.114L	742.114R	TI-742.114R

2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support



Placa Húmero Distal Dorsolateral Bloqueada 2,7mm-3,5mm Con Soporte Lateral



2.7mm round
locking hole



compression and
locking hole



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	743.103L	TI-743.103L	743.103R	TI-743.103R
5	743.105L	TI-743.105L	743.105R	TI-743.105R
7	743.107L	TI-743.107L	743.107R	TI-743.107R
9	743.109L	TI-743.109L	743.109R	TI-743.109R
14	743.114L	TI-743.114L	743.114R	TI-743.114R


2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate

Placa Medial Humero Distal Dorsolateral Bloqueada 2,7mm-3,5mm


 2.7mm round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	744.103L	TI-744.103L	744.103R	TI-744.103R
5	744.105L	TI-744.105L	744.105R	TI-744.105R
7	744.107L	TI-744.107L	744.107R	TI-744.107R
9	744.109L	TI-744.109L	744.109R	TI-744.109R
14	744.114L	TI-744.114L	744.114R	TI-744.114R



Indications

- Simple fractures of the olecranon
(AO Types 21–B1, 21–B3, 21–C1)
- Osteotomies of the olecranon for distal humerus fracture treatment
- Avulsion fractures of the distal tibia and fibula

3.5mm Wise-Lock Hook Plate


Placa 3,5mm Gancho, Bloqueada



round
locking hole



compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	729.203	TI-729.203
4	729.204	TI-729.204
5	729.205	TI-729.205




Indications

- Extra-articular fractures of the distal humerus
- Malunions of the distal humerus
- Non-unions of the distal humerus


3.5mm Wise-Lock Extra-Articular Distal Humerus Plate

Placa 3,5mm Para Húmero Distal Extra-Articular, Bloqueada


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	583.004L	TI-583.004L	583.004R	TI-583.004R
6	583.006L	TI-583.006L	583.006R	TI-583.006R
8	583.008L	TI-583.008L	583.008R	TI-583.008R
10	583.010L	TI-583.010L	583.010R	TI-583.010R
12	583.012L	TI-583.012L	583.012R	TI-583.012R
14	583.014L	TI-583.014L	583.014R	TI-583.014R



Indications


- Complex extra- and intra-articular olecranon fractures
- Pseudoarthroses of the proximal ulna
- Osteotomies
- Simple olecranon fractures

Contraindications

- Acute infections
- Children in growth phase

3.5mm Wise-Lock Olecranon Plate

Placa Olecranon Bloqueada 3,5mm



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
2	758.102L	TI-758.102L	758.102R	TI-758.102R
4	758.104L	TI-758.104L	758.104R	TI-758.104R
6	758.106L	TI-758.106L	758.106R	TI-758.106R
8	758.108L	TI-758.108L	758.108R	TI-758.108R
10	758.110L	TI-758.110L	758.110R	TI-758.110R
12	758.112L	TI-758.112L	758.112R	TI-758.112R



Indications


- Dislocated two-, three-, and four-fragment fractures of the proximal humerus, including fractures involving osteopenic bone
- Pseudarthroses in the proximal humerus
- Osteotomies in the proximal humerus

Contraindications

- Acute infections
- Children during the growth phase

PHELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Short

Placa Humero Proximal Bloqueada 3,5mm PHELOS





 round
locking hole

 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	745.503	TI-745.503
4	745.504	TI-745.504
5	745.505	TI-745.505

PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Long

Placa Húmero Proximal Bloqueada 3,5mm PHEELOS Larga


 round
locking hole

 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	745.605	TI-745.605
6	745.606	TI-745.606
8	745.608	TI-745.608
10	745.610	TI-745.610
12	745.612	TI-745.612



3300.01 Pheelos Aiming Device




3300.02 Centering Sleeve, for Pheelos Aiming Device



3300.03 Drill Sleeve for Pheelos Aiming Device



3300.04 Centering Sleeve for Kirschner Wire, Ø 1.6mm




3300.05 Pheelos Direct Measuring Device

451-1.6-300 KirschnerWire Ø 1.6mm x Length 300mm with TrocarTip



2301.000 PHEELOS Instruments Set

Codes Referencia	Set consisting of: El Set Consiste En	Units Unidades
3300.01	Pheelos Aiming Device	1 Pcs
3300.02	Centering Sleeve for Pheelos Aiming Device	1 Pcs
3300.03	Drill Sleeve for Pheelos Aiming Device	1 Pcs
3300.04	Centering Sleeve for Kirschner Wire, Ø 1.6mm	1 Pcs
3300.05	Pheelos Direct Measuring Device	1 Pcs
451-1.6-300	Kirschner Wire, Ø 1.6mm x Length 300mm with TrocarTip	5 Pcs

**Indications**


3.5mm Periarticular Proximal Humerus Plates are indicated for fractures, fractures dislocation, osteotomies, and non-unions of proximal humerus, particularly in osteopenic bone.

3.5mm Wise-Lock Periarticular Proximal Humerus Plate

Placa Para Húmero Proximal Periarticular Bloqueada 3,5mm



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
2	528.002L	TI-528.002L	528.002R	TI-528.002R
3	528.003L	TI-528.003L	528.003R	TI-528.003R
4	528.004L	TI-528.004L	528.004R	TI-528.004R
5	528.005L	TI-528.005L	528.005R	TI-528.005R
6	528.006L	TI-528.006L	528.006R	TI-528.006R
8	528.008L	TI-528.008L	528.008R	TI-528.008R
10	528.010L	TI-528.010L	528.010R	TI-528.010R
12	528.012L	TI-528.012L	528.012R	TI-528.012R
14	528.014L	TI-528.014L	528.014R	TI-528.014R



Indications

- Multifragmentary (dislocated) fractures requiring open reduction
- Unstable subcapital fractures
- Subcapital pseudarthrosis
- Osteotomies

3.5mm Wise-Lock Proximal Humerus Plate

Placa Húmero Proximal Bloqueada 3,5mm



round
locking hole



compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	745.105	TI-745.105
6	745.106	TI-745.106
7	745.107	TI-745.107
8	745.108	TI-745.108




Indications

Wise Lock Medial Distal Tibia Plate are intended for fixation of complex intra- and extra- articular fractures and osteotomies of the distal tibia.

3.5mm Wise-Lock Medial Distal Tibia Plate

Placa Tibia Distal Medial Bloqueada 3,5mm



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	746.104L	TI-746.104L	746.104R	TI-746.104R
6	746.106L	TI-746.106L	746.106R	TI-746.106R
8	746.108L	TI-746.108L	746.108R	TI-746.108R
10	746.110L	TI-746.110L	746.110R	TI-746.110R
12	746.112L	TI-746.112L	746.112R	TI-746.112R
14	746.114L	TI-746.114L	746.114R	TI-746.114R





Indications


Wise Lock 3.5mm Proximal Tibia Plate is indicated for fractures of the proximal tibia, including: simple, comminuted, lateral wedge, depression, medial wedge, bicondylar combination of lateral wedge and depression, periprosthetic, and fractures with associated shaft fractures. The plates can also be used for the treatments of nonunions, malunions, and osteopenic bone.

3.5mm Wise-Lock Proximal Tibia Plate

Placa Tibial Proximal Bloqueada 3,5mm


 round
locking hole

 compression and
locking hole



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	747.104L	TI-747.104L	747.104R	TI-747.104R
6	747.106L	TI-747.106L	747.106R	TI-747.106R
8	747.108L	TI-747.108L	747.108R	TI-747.108R
10	747.110L	TI-747.110L	747.110R	TI-747.110R
12	747.112L	TI-747.112L	747.112R	TI-747.112R
14	747.114L	TI-747.114L	747.114R	TI-747.114R
16	747.116L	TI-747.116L	747.116R	TI-747.116R

**Indications**


The Wise Lock Medial Proximal Tibia Plates 3.5 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibial plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia.

3.5mm Wise-Lock Medial Proximal Tibia Plate

Placa Para Tibia Medial Proximal 3,5mm Bloqueada




	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	530.004L	TI-530.004L	530.004R	TI-530.004R
6	530.006L	TI-530.006L	530.006R	TI-530.006R
8	530.008L	TI-530.008L	530.008R	TI-530.008R
10	530.010L	TI-530.010L	530.010R	TI-530.010R
12	530.012L	TI-530.012L	530.012R	TI-530.012R
14	530.014L	TI-530.014L	530.014R	TI-530.014R
16	530.016L	TI-530.016L	530.016R	TI-530.016R
18	530.018L	TI-530.018L	530.018R	TI-530.018R
20	530.020L	TI-530.020L	530.020R	TI-530.020R

**Indications**

The Wise Lock Posterior Medial Proximal Tibia Plate 3.5 is indicated for internal fixation of posteromedial proximal tibia fractures including buttressing of fractures of the proximal, distal and metaphyseal areas of the tibia.

3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate



Placa Para Tibia Posterior Medial 3,5mm Bloqueada




round
locking hole



compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
1	531.001	TI-531.001
2	531.002	TI-531.002
4	531.004	TI-531.004
6	531.006	TI-531.006
8	531.008	TI-531.008
10	531.010	TI-531.010



Indications

Wise Lock Anterolateral Distal Tibia Plate 3.5 is indicated for:

- Extra-articular and simple intra-articular distal tibia fractures
- Distal tibia fracture, percutaneous or reducible by limited arthrotomy
- Distal tibia fracture extending into the diaphyseal area

3.5mm Wise-Lock Anterolateral Distal Tibia Plate

Placa Tibia Distal Anterolateral Bloqueada 3,5mm



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
5	WS1.05	TI-WS1.05	WS2.05	TI-WS2.05
7	WS1.07	TI-WS1.07	WS2.07	TI-WS2.07
9	WS1.09	TI-WS1.09	WS2.09	TI-WS2.09
11	WS1.11	TI-WS1.11	WS2.11	TI-WS2.11
13	WS1.13	TI-WS1.13	WS2.13	TI-WS2.13
15	WS1.15	TI-WS1.15	WS2.15	TI-WS2.15
17	WS1.17	TI-WS1.17	WS2.17	TI-WS2.17
19	WS1.19	TI-WS1.19	WS2.19	TI-WS2.19
21	WS1.21	TI-WS1.21	WS2.21	TI-WS2.21




Indications

Wise Lock Medial Distal Tibia Plates without Tab are intended for:


- Fixation of complex intra- and extra-articular fractures of the distal tibia
- Osteotomies of the distal tibia

3.5mm Wise-Lock Medial Distal Tibia Plate, Without Tab

Placa Tibia Distal Medial Bloqueada 3,5mm , Sin Tab




Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	WS3.04	TI-WS3.04	WS4.04	TI-WS4.04
6	WS3.06	TI-WS3.06	WS4.06	TI-WS4.06
8	WS3.08	TI-WS3.08	WS4.08	TI-WS4.08
10	WS3.10	TI-WS3.10	WS4.10	TI-WS4.10
12	WS3.12	TI-WS3.12	WS4.12	TI-WS4.12
14	WS3.14	TI-WS3.14	WS4.14	TI-WS4.14




Indications

The Wise Lock Distal Fibula Plates are intended for fixation of fractures, osteotomies and non-unions of the metaphyseal and diaphyseal region of the distal fibula, especially in osteopenic bone.

3.5mm Wise-Lock Lateral Distal Fibula Plate
Placa Lateral Distal Para Peroné 3,5mm Bloqueada



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	584.003L	TI-584.003L	584.003R	TI-584.003R
4	584.004L	TI-584.004L	584.004R	TI-584.004R
5	584.005L	TI-584.005L	584.005R	TI-584.005R
6	584.006L	TI-584.006L	584.006R	TI-584.006R
7	584.007L	TI-584.007L	584.007R	TI-584.007R
9	584.009L	TI-584.009L	584.009R	TI-584.009R
11	584.011L	TI-584.011L	584.011R	TI-584.011R



Indications

X-plate

Arthrodesis

- MTP
- MTC
- Talonavicular
- Calcaneo-Cuboid

Proximal osteotomies

- *Crescentic*
- *Ludloff*
- *Mau*
- *Open wedge*
- *Closing wedge*

Calcaneal osteotomies

Fractures


- *Single*
- *Multifragment*

2 Hole Plate

Akin osteotomy

2.7mm Wise-Lock X-Plate


Placa En X 2,7mm Bloqueada



Stainless Steel Acero Inoxidable	Titanium Titanio	
812.300S	TI-812.300S	Small
812.300M	TI-812.300M	Medium
812.300L	TI-812.300L	Large

2.7mm Wise-Lock Straight Plate

Placa En X 2,7mm Bloqueada



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Length Longitud
2	1134.02	TI-1134.02	17mm




Indications

The Wise Lock Pediatric Hip Plate is intended for use in pediatrics (children from 2 to 16 years) and for small-stature adult patients. Specific indications include:

- Inter- and sub-trochanteric varus osteotomies
- Inter- and sub-trochanteric valgus osteotomies
- Inter- and sub-trochanteric derotation osteotomies
- Fractures of the proximal femur

Contraindications


Applications in children or adults which are inappropriate to the design and strength of the plate and do not conform to the indications.

3.5mm Wise-Lock Paediatric Hip Plate
Placa Para Cadera Pediátrica 3,5mm Bloqueada


round
locking hole



Degree Grado	Length Longitud	Width Ancho	Stainless Steel Acero Inoxidable	Titanium Titanio
90°	75mm	18.5mm	1121.090	TI-1121.090
100°	75mm	18.5mm	1121.100	TI-1121.100
110°	75mm	18.5mm	1121.110	TI-1121.110
120°	75mm	18.5mm	1121.120	TI-1121.120
150°	60mm	18.5mm	1121.150	TI-1121.150

**Indications**

Comprehensive solution for Pelvic fracture Region.

The Low Profile 3.5 mm Pelvic System is intended for pelvic and acetabular reconstructive surgery. The reconstruction plates are also used for fracture fixation of the distal humerus, clavicle and scapula.

3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes

Placa Sinfisial con Agujeros Combinados Coaxiales



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
4	1126.04	TI-1126.04
6	1126.06	TI-1126.06


round
locking hole



3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes

Placa de Reconstrucción 3,5mm de Bajo Perfil con Agujeros Combinados Coaxiales


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	1125.03	TI-1125.03
4	1125.04	TI-1125.04
5	1125.05	TI-1125.05
6	1125.06	TI-1125.06
7	1125.07	TI-1125.07
8	1125.08	TI-1125.08
9	1125.09	TI-1125.09
10	1125.10	TI-1125.10
11	1125.11	TI-1125.11
12	1125.12	TI-1125.12
13	1125.13	TI-1125.13
14	1125.14	TI-1125.14
15	1125.15	TI-1125.15
16	1125.16	TI-1125.16
18	1125.18	TI-1125.18
20	1125.20	TI-1125.20





3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes, Curved

Placa de Reconstrucción Curva 3,5mm de Bajo Perfil con Agujeros Combinados Coaxiales




round
locking hole




Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
6	1125.06C	TI-1125.06C
8	1125.08C	TI-1125.08C
10	1125.10C	TI-1125.10C
12	1125.12C	TI-1125.12C
14	1125.14C	TI-1125.14C
16	1125.16C	TI-1125.16C

3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes

Placa de Reconstrucción en J 3,5mm con Agujeros Combinados Coaxiales



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
10	1125.10JL	TI-1125.10JL	1125.10JR	TI-1125.10JR
12	1125.12JL	TI-1125.12JL	1125.12JR	TI-1125.12JR
14	1125.14JL	TI-1125.14JL	1125.14JR	TI-1125.14JR
16	1125.16JL	TI-1125.16JL	1125.16JR	TI-1125.16JR



Indications

Lateral clavicle fractures: Neer type II or Jäger and Breitner type II.


Acromioclavicular joint dislocation type: Tossy III or Rockwood III to V.

3.5mm Wise-Lock Clavicle Hook Plate

Placa Horquilla Clavicula Bloqueada 3,5mm



3 different hook depths
12, 15 and 18 mm



compression and
locking hole



Holes Orificios	Hook Depth Profundidad	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
		Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	12mm	752.4.12L	TI-752.4.12L	752.4.12R	TI-752.4.12R
4	15mm	752.4.15L	TI-752.4.15L	752.4.15R	TI-752.4.15R
4	18mm	752.4.18L	TI-752.4.18L	752.4.18R	TI-752.4.18R
5	12mm	752.5.12L	TI-752.5.12L	752.5.12R	TI-752.5.12R
5	15mm	752.5.15L	TI-752.5.15L	752.5.15R	TI-752.5.15R
5	18mm	752.5.18L	TI-752.5.18L	752.5.18R	TI-752.5.18R
6	12mm	752.6.12L	TI-752.6.12L	752.6.12R	TI-752.6.12R
6	15mm	752.6.15L	TI-752.6.15L	752.6.15R	TI-752.6.15R
6	18mm	752.6.18L	TI-752.6.18L	752.6.18R	TI-752.6.18R
7	12mm	752.7.12L	TI-752.7.12L	752.7.12R	TI-752.7.12R
7	15mm	752.7.15L	TI-752.7.15L	752.7.15R	TI-752.7.15R
7	18mm	752.7.18L	TI-752.7.18L	752.7.18R	TI-752.7.18R




Indications

- Fractures of the clavicle shaft
- Fractures of the lateral clavicle
- Malunions of the clavicle
- Non-unions of the clavicle

3.5mm Wise-Lock Superior Anterior Clavicle Plate

Placa Para Clavícula Anterior Superior 3,5mm Bloqueada




Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
5	526.005L	TI-526.005L	526.005R	TI-526.005R
6	526.006L	TI-526.006L	526.006R	TI-526.006R
7	526.007L	TI-526.007L	526.007R	TI-526.007R
8	526.008L	TI-526.008L	526.008R	TI-526.008R
9	526.009L	TI-526.009L	526.009R	TI-526.009R

2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension

Placa Para Clavícula Anterior Superior con Extensión Lateral 2,7/3,5mm Bloqueada



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	527.003L	TI-527.003L	527.003R	TI-527.003R
4	527.004L	TI-527.004L	527.004R	TI-527.004R
5	527.005L	TI-527.005L	527.005R	TI-527.005R
6	527.006L	TI-527.006L	527.006R	TI-527.006R
7	527.007L	TI-527.007L	527.007R	TI-527.007R
8	527.008L	TI-527.008L	527.008R	TI-527.008R


**Characteristics:**

Clavicle Locking Plate was developed for internal fixation in the fractures treatments and non-unions of the clavicle.


The plate offers a variety of length and curvatures to better accommodate in the anatomy of the clavicle; it is not necessary to shape, which increases efficiency and product safety. The holes in the plate can use both cortical compression screws and Locking screws, promoting angular stability able to resist the angular efforts of the clavicle.

3.5mm Wise-Lock S Clavicle Plates

Sistema Clavicula S, Bloqueada 3,5mm



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	762.103L	TI-762.103L	762.103R	TI-762.103R
4	762.104L	TI-762.104L	762.104R	TI-762.104R
4 Medium	762.104ML	TI-762.104ML	762.104MR	TI-762.104MR
6 Small	762.106SL	TI-762.106SL	762.106SR	TI-762.106SR
6 Medium	762.106ML	TI-762.106ML	762.106MR	TI-762.106MR
6 Large	762.106LL	TI-762.106LL	762.106LR	TI-762.106LR
8 Medium	762.108ML	TI-762.108ML	762.108MR	TI-762.108MR



Indications

The Wise Lock Wrist Fusion System is indicated for wrist arthrodesis and fractures of other small bones of the carpus. Specific indications include:


- Posttraumatic arthrosis of the joints of the wrist
- Rheumatoid wrist deformities requiring restoration
- Complex carpal instability
- Postseptic arthritis of the wrist
- Severe unremitting wrist pain related to motion
- Brachial plexus nerve palsies
- Tumor resection
- Spastic deformities

3.5mm Wise-Lock Wrist Fusion Plate

Placa Para Fusión de Puño 3,5mm Bloqueada



compression and
locking hole



Shape Forma	Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
Standard Bend	8	586.000	TI-586.000
Short Bend	8	587.000	TI-587.000
Straight Bend	9	588.000	TI-588.000




Indications

The LCP Metaphyseal Plate is an anatomically precontoured plate that permits an optimal treatment of juxta-articular distal humerus fractures. It takes into account the following peculiarities of the distal humerus:


- thin soft-tissue envelope
- complex shape of the bone.

3.5mm Wise-Lock Metaphyseal Plate for Distal Medial Humerus

Placa Metafisarea Bloqueada 3,5mm Para Húmero Medial Distal



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
7	738.107	TI-738.107
9	738.109	TI-738.109
11	738.111	TI-738.111
13	738.113	TI-738.113
15	738.115	TI-738.115




Indications


Juxta-articular fractures extending into the shaft area.

3.5mm Wise-Lock Metaphyseal Plate

Placa Metafisarea Bloqueada 3,5mm


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
6	739.106	TI-739.106
7	739.107	TI-739.107
8	739.108	TI-739.108
9	739.109	TI-739.109
10	739.110	TI-739.110
11	739.111	TI-739.111
12	739.112	TI-739.112
14	739.114	TI-739.114
16	739.116	TI-739.116
18	739.118	TI-739.118




Indications

Juxta-articular fractures extending into the shaft area.


3.5/4.5mm Wise-Lock Metaphyseal Plate

Placa Metafisarea Bloqueada 3,5-4,5mm


 5.0mm compression
and locking hole

 3.5mm compression
and locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3/5	740.103	TI-740.103
4/5	740.104	TI-740.104
5/5	740.105	TI-740.105
6/5	740.106	TI-740.106
7/5	740.107	TI-740.107
8/5	740.108	TI-740.108
9/5	740.109	TI-740.109
11/5	740.111	TI-740.111
13/5	740.113	TI-740.113
15/5	740.115	TI-740.115



Indications


Wise Lock Metaphyseal Plate for distal medial tibia is a preshaped plate that allows optimal treatment of juxta-articular fractures of the distal tibia extending into the shaft area.

This plate takes the following characteristics of the distal tibia into account:


- Thin, soft tissue coverage
- Complex anatomic shape of the bone

3.5mm Wise-Lock Metaphyseal Plate for Medial Distal Tibia

Placa Metafisarea Bloqueada Para Tibia Medial Distal 3,5mm



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4 + 4	741.104L	TI-741.104L	741.104R	TI-741.104R
4 + 5	741.105L	TI-741.105L	741.105R	TI-741.105R
4 + 6	741.106L	TI-741.106L	741.106R	TI-741.106R
4 + 7	741.107L	TI-741.107L	741.107R	TI-741.107R
4 + 8	741.108L	TI-741.108L	741.108R	TI-741.108R
4 + 9	741.109L	TI-741.109L	741.109R	TI-741.109R
4 + 10	741.110L	TI-741.110L	741.110R	TI-741.110R
4 + 12	741.112L	TI-741.112L	741.112R	TI-741.112R
4 + 14	741.114L	TI-741.114L	741.114R	TI-741.114R
4 + 16	741.116L	TI-741.116L	741.116R	TI-741.116R
4 + 18	741.118L	TI-741.118L	741.118R	TI-741.118R
4 + 20	741.120L	TI-741.120L	741.120R	TI-741.120R



Indications

Pilon Cruciform


- Intra-articular fracture of the axially loaded distal tibia joint area
- Complex fractures requiring open reconstruction.

Pilon

- Distal articular fractures of the tibia (pilon fractures) with emphasis on complex articular reconstruction

3.5mm Wise-Lock Pilon Plate

Placa Pilon Bloqueada 3,5mm



Holes Orificios	Length Longitud	Stainless Steel Acero Inoxidable	Titanium Titanio
7	147	799.207	TI-799.207
9	173	799.209	TI-799.209

3.5mm Wise-Lock Pilon Plate, Cruciform

Placa Cruciform Pilon Bloqueada 3,5mm



Holes Orificios	Length Longitud	Stainless Steel Acero Inoxidable	Titanium Titanio
7	147	799.007	TI-799.007
9	173	799.009	TI-799.009




Indications

The locking calcaneal plates address complex fractures of the calcaneus. The locking calcaneal plate is indicated for fractures and osteotomies of the calcaneus including, but not limited to, extra-articular, intra-articular, joint depression, tongue type, and severely comminuted fractures.

3.5mm Wise-Lock Calcaneal Plate

Placa Calcanea Bloqueada 3,5mm



round
locking hole



Directions Dirección	Length Longitud	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	69	797.069L	TI-797.069L
Left	76	797.076L	TI-797.076L
Right	69	797.069R	TI-797.069R
Right	76	797.076R	TI-797.076R

3.5mm Wise-Lock Calcaneal Plate Type-I

Placa Calcanea Bloqueada 3,5mm Tipo-I


 round
locking hole


Directions Dirección	Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	3	10-007-03LSS	10-007-03LTI
Right	3	10-007-03RSS	10-007-03RTI

3.5mm Wise-Lock Calcaneal Plate Type-II

Placa Calcanea Bloqueada 3,5mm Tipo-II




round
locking hole



Directions Dirección	Holes Orificios	Small		Medium	
		Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	3	10-008-03LSS	10-008-03LTI	10-009-03LSS	10-009-03LTI
Right	3	10-008-03RSS	10-008-03RTI	10-009-03RSS	10-009-03RTI

3.5mm Wise-Lock Calcaneal Plate Type-III


Placa Calcanea Bloqueada 3,5mm Tipo-III


 round
locking hole



Directions Dirección	Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	6	10-010-06LSS	10-010-06LTI
Right	6	10-010-06RSS	10-010-06RTI
Left	7	10-010-07LSS	10-010-07LTI
Right	7	10-010-07RSS	10-010-07RTI

3.5mm Wise-Lock Calcaneal Plate Type-IV

Placa Calcanea Bloqueada 3,5mm Tipo-IV




round
locking hole



		Small		Medium		Large	
Directions Dirección	Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	8	10-011-08LSS	10-011-08LTI	10-012-08LSS	10-012-08LTI	10-013-08LSS	10-013-08LTI
Right	8	10-011-08RSS	10-011-08RTI	10-012-08RSS	10-012-08RTI	10-013-08RSS	10-013-08RTI

3.5mm Wise-Lock Calcaneal Plate Type-V

Placa Calcanea Bloqueada 3,5mm Tipo-V


 round
locking hole


Directions Dirección	Holes Orificios	Small		Large	
		Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
Left	12	10-014-12LSS	10-014-12LTI	10-015-12LSS	10-015-12LTI
Right	12	10-014-12RSS	10-014-12RTI	10-015-12RSS	10-015-12RTI



Indications

- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus

Contraindications


- Acute infections
- Children in the growth phase

3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts


Placa de Compresion Dinamica Pequeña Bloqueada 3,5mm Con Bajo Contacto Bajo Los Cortes



compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	721.205	TI-721.205
6	721.206	TI-721.206
7	721.207	TI-721.207
8	721.208	TI-721.208
9	721.209	TI-721.209
10	721.210	TI-721.210
11	721.211	TI-721.211
12	721.212	TI-721.212




3.5mm Wise-Lock One Third Tubular Plate


Placa 1/3 Tubo Placa Bloqueada 3,5mm




round
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
4	702.304	TI-702.304
5	702.305	TI-702.305
6	702.306	TI-702.306
7	702.307	TI-702.307
8	702.308	TI-702.308
9	702.309	TI-702.309
10	702.310	TI-702.310
11	702.311	TI-702.311
12	702.312	TI-702.312




3.5mm Wise-Lock Small "T" Plate, Oblique Angled
Placa Pequeña en T bloqueada 3,5mm Angulo Oblicuo



round
locking hole




compression and
locking hole



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	712.103L	TI-712.103L	712.103R	TI-712.103R
4	712.104L	TI-712.104L	712.104R	TI-712.104R
5	712.105L	TI-712.105L	712.105R	TI-712.105R
6	712.106L	TI-712.106L	712.106R	TI-712.106R

3.5mm Wise-Lock Small "T" Plate, Right Angled (3 Head Holes)

Placa Pequeña En T Bloqueada 3,5mm Angulo Derecho



round
locking hole



compression and
locking hole




Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	709.103	TI-709.103
4	709.104	TI-709.104
5	709.105	TI-709.105
6	709.106	TI-709.106

3.5mm Wise-Lock Small "T" Plate, Right Angled, (4 Head Holes)

Placa Pequeña en T Bloqueada 3,5mm Angulo Derecho (4 Orificios en Cabeza)



 round
locking hole

 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	710.203	TI-710.203
4	710.204	TI-710.204
5	710.205	TI-710.205
6	710.206	TI-710.206

3.5mm Wise-Lock Reconstruction Plate

Placa de Reconstrucción Bloqueada 3,5mm



compression and
locking hole




Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	727.205	TI-727.205
6	727.206	TI-727.206
7	727.207	TI-727.207
8	727.208	TI-727.208
9	727.209	TI-727.209
10	727.210	TI-727.210
11	727.211	TI-727.211
12	727.212	TI-727.212
14	727.214	TI-727.214
16	727.216	TI-727.216
18	727.218	TI-727.218
20	727.220	TI-727.220
22	727.222	TI-727.222

3.5mm Wise-Lock Reconstruction Plate, Curved
Placa de Reconstruccion Bloqueada 3,5mm, Curvada



compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
4	727.204C	TI-727.204C
5	727.205C	TI-727.205C
6	727.206C	TI-727.206C
7	727.207C	TI-727.207C
8	727.208C	TI-727.208C
9	727.209C	TI-727.209C
10	727.210C	TI-727.210C
11	727.211C	TI-727.211C
12	727.212C	TI-727.212C
13	727.213C	TI-727.213C
14	727.214C	TI-727.214C
15	727.215C	TI-727.215C
16	727.216C	TI-727.216C

3.5mm Wise-Lock Cloverleaf Plate

Placa Trebolo Bloqueada 3,5mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	715.203	TI-715.203
4	715.204	TI-715.204
5	715.205	TI-715.205
6	715.206	TI-715.206

2.7mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo Autorroscante Diametro 2,7mm

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
10	118.010	TI-118.010
12	118.012	TI-118.012
14	118.014	TI-118.014
16	118.016	TI-118.016
18	118.018	TI-118.018
20	118.020	TI-118.020
22	118.022	TI-118.022
24	118.024	TI-118.024
26	118.026	TI-118.026
28	118.028	TI-118.028
30	118.030	TI-118.030
32	118.032	TI-118.032
34	118.034	TI-118.034
36	118.036	TI-118.036
38	118.038	TI-118.038
40	118.040	TI-118.040
42	118.042	TI-118.042
44	118.044	TI-118.044
46	118.046	TI-118.046
48	118.048	TI-118.048
50	118.050	TI-118.050
52	118.052	TI-118.052
54	118.054	TI-118.054
56	118.056	TI-118.056
58	118.058	TI-118.058
60	118.060	TI-118.060



3.5mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo Autorroscante Diametro 3,5mm

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
10	117.010	TI-117.010
12	117.012	TI-117.012
14	117.014	TI-117.014
16	117.016	TI-117.016
18	117.018	TI-117.018
20	117.020	TI-117.020
22	117.022	TI-117.022
24	117.024	TI-117.024
26	117.026	TI-117.026
28	117.028	TI-117.028
30	117.030	TI-117.030
32	117.032	TI-117.032
34	117.034	TI-117.034
36	117.036	TI-117.036
38	117.038	TI-117.038
40	117.040	TI-117.040
42	117.042	TI-117.042
44	117.044	TI-117.044
46	117.046	TI-117.046
48	117.048	TI-117.048
50	117.050	TI-117.050
52	117.052	TI-117.052
54	117.054	TI-117.054
56	117.056	TI-117.056
58	117.058	TI-117.058
60	117.060	TI-117.060



3.5mm Wise-Lock Screws, Self Drilling

Tornillo Bloqueo Autobrocado Diametro 3,5mm

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
10	117.210	TI-117.210
12	117.212	TI-117.212
14	117.214	TI-117.214
16	117.216	TI-117.216
18	117.218	TI-117.218
20	117.220	TI-117.220
22	117.222	TI-117.222
24	117.224	TI-117.224
26	117.226	TI-117.226
28	117.228	TI-117.228
30	117.230	TI-117.230
32	117.232	TI-117.232
34	117.234	TI-117.234
36	117.236	TI-117.236
38	117.238	TI-117.238
40	117.240	TI-117.240
42	117.242	TI-117.242
44	117.244	TI-117.244
46	117.246	TI-117.246
48	117.248	TI-117.248
50	117.250	TI-117.250
52	117.252	TI-117.252
54	117.254	TI-117.254
56	117.256	TI-117.256
58	117.258	TI-117.258
60	117.260	TI-117.260



3.5mm Wise-Lock Cancellous Screws, Self Tapping

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
10mm	188.210	TI-188.210
12mm	188.212	TI-188.212
14mm	188.214	TI-188.214
16mm	188.216	TI-188.216
18mm	188.218	TI-188.218
20mm	188.220	TI-188.220
22mm	188.222	TI-188.222
24mm	188.224	TI-188.224
26mm	188.226	TI-188.226
28mm	188.228	TI-188.228
30mm	188.230	TI-188.230
32mm	188.232	TI-188.232
34mm	188.234	TI-188.234
36mm	188.236	TI-188.236
38mm	188.238	TI-188.238
40mm	188.240	TI-188.240
42mm	188.242	TI-188.242
44mm	188.244	TI-188.244
46mm	188.246	TI-188.246
48mm	188.248	TI-188.248
50mm	188.250	TI-188.250
55mm	188.255	TI-188.255
60mm	188.260	TI-188.260



IS009 3.5mm Wise-Lock Plates & Screws Implant Set

Codes Referencia	Set Consisting of: El Set Consiste En	Units Unidades
117.010	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 10mm	2
117.012	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 12mm	2
117.014	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 14mm	2
117.016	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 16mm	2
117.018	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 18mm	2
117.020	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 20mm	2
117.022	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 22mm	2
117.024	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 24mm	2
117.026	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 26mm	3
117.028	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 28mm	3
117.030	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 30mm	3
117.032	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 32mm	3
117.034	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 34mm	3
117.036	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 36mm	3
117.038	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 38mm	3
117.040	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 40mm	3
117.042	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 42mm	3
117.044	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 44mm	3
117.046	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 46mm	3
117.048	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 48mm	2
117.050	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 50mm	2
117.052	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 52mm	2
117.054	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 54mm	2
117.056	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 56mm	2
117.058	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 58mm	2
117.060	Wise-Lock Screw Dia. 3.5mm, Self Tapping, Length: 60mm	2
721.204	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 4 Holes	1
721.205	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 5 Holes	1
721.206	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 6 Holes	1
721.207	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 7 Holes	1
721.208	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 8 Holes	1
721.209	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 9 Holes	1
721.210	Wise-Lock 3.5mm Small Dynamic Compression Plate with LC under cuts, 10 Holes	1
709.103	Wise-Lock Small T-Plate 3.5mm, 3 Holes	1
709.104	Wise-Lock Small T-Plate 3.5mm, 4 Holes	1
709.105	Wise-Lock Small T-Plate 3.5mm, 5 Holes	1
712.103L	Wise-Lock Small Oblique T-Plate 3.5mm, 3 Holes, Left Radius	1
712.104L	Wise-Lock Small Oblique T-Plate 3.5mm, 4 Holes, Left Radius	1
712.105L	Wise-Lock Small Oblique T-Plate 3.5mm, 5 Holes, Left Radius	1
712.103R	Wise-Lock Small Oblique T-Plate 3.5mm, 3 Holes, Right Radius	1
712.104R	Wise-Lock Small Oblique T-Plate 3.5mm, 4 Holes, Right Radius	1
712.105R	Wise-Lock Small Oblique T-Plate 3.5mm, 5 Holes, Right Radius	1
727.206	Wise-Lock 3.5mm Reconstruction Plate, 6 Holes	1
727.208	Wise-Lock 3.5mm Reconstruction Plate, 8 Holes	1
727.210	Wise-Lock 3.5mm Reconstruction Plate, 10 Holes	1
715.203	Wise-Lock 3.5mm Cloverleaf Plate, 3 Holes	1
715.204	Wise-Lock 3.5mm Cloverleaf Plate, 4 Holes	1
715.205	Wise-Lock 3.5mm Cloverleaf Plate, 5 Holes	1
TDS-3.5	Threaded Drill Sleeve for 3.5mm Wise Lock Screws	2
2100-2.8-165	Drill Bit, Quick Coupling End, 2.8mm x 165mm	2
3438-06	Quick Coupling Handle (T-Type)	1
	Screw Driver Shaft, 2.5mm Tip, Quick Coupling	1
A10-017	Container for 3.5mm Wise Lock Implant Set (Code: A10.017)	1

3443-37 Depth Gauge, measuring range upto 60mm



3445-2.5 Screw Driver, Self Retaing (for Screw Removal), 2.5mm



3992-03S Allen Key for Dill Bit Stopper Ø3.0mm



2100-2.0-110 Drill Bit with Quick Coupling, Ø2.0mm x Length 110mm



2100-2.5-112 Drill Bit with Quick Coupling, Ø2.5mm x Length 112mm



2100-3.5-112 Drill Bit with Quick Coupling, Ø3.5mm x Length 112mm



2103-2.8-165

Drill Bit with Quick Coupling with Stopper, Ø2.8mm x Length 165mm


2104-27

Bone Tap Quick Coupling for Wise Lock Screws, Ø2.7mm


2104-02

Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm


2104-04

Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm


3400-01

Countersink for Ø3.5/4.0mm Screws, Quick Coupling


3408-01

Hexagonal Screw Driver Shaft - 2.5mm Tip, Quick Coupling



3408-03 Hexagonal Screw Driver Shaft - 2.0mm Tip, Quick Coupling



2186-2.5 HSS Drill Bit, Ø2.5, Metal



2106-1.2 Guide Sleeve for Ø1.2mm K. Wires



3443-05 Depth Gauge, measuring range upto 50mm, for Ø2.4mm/2.7mm Screws



3443-39 Trepine



BT-SF-06 Bending Template, small



BT-SF-08

Bending Template, Medium


BT-SF-10

Bending Template, Large


3402-000


T-Handle with Quick Coupling


1472-054

Quick Coupling Shaft


TDG-2.7

Threaded Drill Guide, Ø2.7mm (for drill bit 2.0mm)


3441-18

Threaded Drill Guide, Ø3.5mm (for drill bit 2.8mm)



3420-01

Drill Sleeve Insert, Ø3.5/2.5mm


1472-036

Drill guide 2.0mm


1472-044

Double Drill Guide, Ø2.0/2.7mm


1472-046

Self Centering Double Drill Guide, Ø2.5/3.5mm


3441-16

Drill Guide for Neutral and Loaded Position, Ø3.5mm


1472-066

Hohmann Retractor, 6.5mm



1472-068

Hohmann Retractor, 8.5mm


2146-018

Hohmann Retractor, 15.5mm


2149-1012

Periosteal Elevator, Straight, 12mm


3406-02

Hexagonal Screw Driver-2.0mm Tip


3406-02S

Screw Holding sleeve for 2.0mm Tip screwdriver


3406-03

Hexagonal Screw Driver-2.5mm Tip



3406-03S Screw Holding sleeve for 2.5mm Tip screwdriver



3409-01L Small Bending Iron, Left



3409-01R Small Bending Iron, Right



2107-1180 Reduction Forcep, Pointed, Ratchet Lock, 180mm



2106-1160 Reduction Forcep, Serrated Jaws, Speed Lock, 160mm



2106-190 Self Centering Bone Holding Forcep, Speed Lock, 190mm



2150-1006S

Periosteal Elevator with Silicon Handle, Curved, 6mm


TQ-2.0

Torque Limiting Attachment, 0.8Nm


TQ-2.5

Torque Limiting Attachment, 1.5Nm


1472-064

Toque Screw Driver Handle


GW-1.2-230

Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 10mm x Length 230mm


3415-000

Screw Holding Forcep For 3.5mm Wise-Lock Small Fragment System



ST-007NW


Screw Caddy For 3.5mm Wise-Lock Small Fragment System

**7-050-03**

Instrument Trays For 3.5mm Wise-Lock Small Fragment Instrument Set

**IC-2310-WL**

Container for 3.5mm Wise-Lock Small Fragment Instrument Set



2302.000 Small Fragment Wise-Lock Instrument Set



2302.000 Small Fragment Wise-Lock Instrument Set

Codes	Set Consisting of:	Units
3443-37	Depth Gauge, measuring range upto 60mm	1
3445-2.5	Screw Driver, Self Retaining (for Screw Removal), 2.5mm	1
3992-03S	Allen Key for Drill Bit Stopper Ø3.0mm	1
2100-2.0-110	Drill Bit with Quick Coupling, Ø2.0mm x Length 110mm	2
2100-2.5-112	Drill Bit with Quick Coupling, Ø2.5mm x Length 112mm	1
2100-3.5-112	Drill Bit with Quick Coupling, Ø3.5mm x Length 112mm	1
2103-2.8-165	Drill Bit with Quick Coupling with Stopper, Ø2.8mm x Length 165mm	2
2104-27	Bone Tap Quick Coupling for Wise Lock Screws, Ø2.7mm	1
2104-02	Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm	1
2104-04	Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm	1
3400-01	Countersink for Ø3.5/4.0mm Screws, Quick Coupling	1
3408-01	Hexagonal Screw Driver Shaft - 2.5mm Tip, Quick Coupling	1
3408-03	Hexagonal Screw Driver Shaft - 2.0mm Tip, Quick Coupling	1
2186-2.5	HSS Drill Bit, Ø2.5, Metal	1
2106-1.2	Guide Sleeve for Ø1.2mm K. Wires	1
3443-05	Depth Gauge, measuring range upto 50mm, for Ø2.4mm/2.7mm Screws	1
3443-39	Trephine	1
BT-SF-06	Bending Template, small	1
BT-SF-08	Bending Template, Medium	1
BT-SF-10	Bending Template, Large	1
3402-000	T-Handle with Quick Coupling	1
1472-054	Quick Coupling Shaft	1
TDG-2.7	Threaded Drill Guide, Ø2.7mm (for drill bit 2.0mm)	2
3441-18	Threaded Drill Guide, Ø3.5mm (for drill bit 2.8mm)	3
3420-01	Drill Sleeve Insert, Ø3.5/2.5mm	1
1472-036	Drill guide 2.0mm	1
1472-044	Double Drill Guide, Ø2.0/2.7mm	1
1472-046	Self Centering Double Drill Guide, Ø2.5/3.5mm	1
3441-16	Drill Guide for Neutral and Loaded Position, Ø3.5mm	1
1472-066	Hohmann Retractor, 6.5mm	1
1472-068	Hohmann Retractor, 8.5mm	1
2146-018	Hohmann Retractor, 15.5mm	2
2149-1012	Periosteal Elevator, Straight, 12mm	1
3406-02	Hexagonal Screw Driver-2.0mm Tip	1
3406-02S	Screw Holding sleeve for 2.0mm Tip screwdriver	1
3406-03	Hexagonal Screw Driver-2.5mm Tip	1
3406-03S	Screw Holding sleeve for 2.5mm Tip screwdriver	1
3409-01L	Small Bending Iron, Left	1
3409-01R	Small Bending Iron, Right	1
2107-1180	Reduction Forcep, Pointed, Ratchet Lock, 180mm	1
2106-1160	Reduction Forcep, Serrated Jaws, Speed Lock, 160mm	1

Codes	Set Consisting of:	Units
2106-190	Self Centering Bone Holding Forcep, Speed Lock, 190mm	2
2150-1006S	Periosteal Elevator with Silicon Handle, Curved, 6mm	1
TQ-2.0	Torque Limiting Attachment, 0.8Nm	1
TQ-2.5	Torque Limiting Attachment, 1.5Nm	1
1472-064	Toque Screw Driver Handle	1
GW-1.2-230	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 10mm x Length 230mm	3
3415-000	Screw Holding Forcep For 3.5mm Wise-Lock Small Fragment System	1
ST-007NW	Screw Caddy For 3.5mm Wise-Lock Small Fragment System	1
7-050-03	Instrument Trays For 3.5mm Wise-Lock Small Fragment Instrument Set	2
IC-2310-WL	Container for 3.5mm Wise-Lock Small Fragment Instrument Set	1

5.0mm

Large Fragment




Indications

- Distal shaft fractures
- Supracondylar fractures
- Intra-articular fractures
- Periprosthetic fractures

4.5/5.0mm Wise-Lock Distal Femoral Plate

Placa Femoral Distal Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
5	748.105L-S	TI-748.105L-S	748.105R-S	TI-748.105R-S
7	748.107L-S	TI-748.107L-S	748.107R-S	TI-748.107R-S
9	748.109L-S	TI-748.109L-S	748.109R-S	TI-748.109R-S
11	748.111L-S	TI-748.111L-S	748.111R-S	TI-748.111R-S
13	748.113L-S	TI-748.113L-S	748.113R-S	TI-748.113R-S
15	748.115L-S	TI-748.115L-S	748.115R-S	TI-748.115R-S

**Indications**

- Buttreassing of multifragmentary distal femur fractures
- Supracondylar fractures
- Intra-articular and extra-articular condylar fractures
- Malunions and nonunions of the distal femur
- Periprosthetic fractures
- Osteopenic bone


4.5/5.0mm Wise-Lock Condylar Femoral Plate

Placa Femoral Condilar Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
7	731.207L	TI-731.207L	731.207R	TI-731.207R
9	731.209L	TI-731.209L	731.209R	TI-731.209R
11	731.211L	TI-731.211L	731.211R	TI-731.211R
12	731.212L	TI-731.212L	731.212R	TI-731.212R
13	731.213L	TI-731.213L	731.213R	TI-731.213R
15	731.215L	TI-731.215L	731.215R	TI-731.215R






Indications

Wise-Lock Proximal Femoral Plate 4.5/5.0 is intended for fractures of the femur including:

- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, trochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic

4.5/5.0mm Wise-Lock Proximal Femoral Plate

Placa Femoral Proximal Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
2	798.002L	TI-798.002L	798.002R	TI-7798.002R
3	798.003L	TI-798.003L	798.003R	TI-798.003R
4	798.004L	TI-798.004L	798.004R	TI-798.004R
6	798.006L	TI-798.006L	798.006R	TI-798.006R
8	798.008L	TI-798.008L	798.008R	TI-798.008R
10	798.010L	TI-798.010L	798.010R	TI-798.010R
12	798.012L	TI-798.012L	798.012R	TI-798.012R
14	798.014L	TI-798.014L	798.014R	TI-798.014R
16	798.016L	TI-798.016L	798.016R	TI-798.016R

PDB-5.0 Cannulated Drill Bit 5.0mm X 230mm (For 7.3mm Wise-lock Cannulated Screw)



7-041-06 Wire Guide 5.0mm, For Guide Wire Ø2.0mm



7-041-03 Threaded Drill Guide 5.0mm For Ø4.3mm Drill Bit



7-041-04 Wire Guide 7.3mm, For Guide Wire Ø2.0mm




7-041-05 Threaded Drill Guide 7.3mm For Ø5.0mm Drill Bit



PGW-2.0 Guide Wire 2.0mm X Length 250mm



7-041-01 Direct Measuring Device For 7.3mm Screw



7-041-02 Cannulated Screw Driver For 7.3mm Screws



Proximal Femur Plate System

Item Code	Item Name	Unit
PDB-5.0	Cannulated Drill Bit 5.0mm X 230mm (For 7.3mm Wise-lock Cannulated Screw)	2
7-041-06	Wire Guide 5.0mm, For Guide Wire Ø2.0mm	5
7-041-03	Threaded Drill Guide 5.0mm For Ø4.3mm Drill Bit	1
7-041-04	Wire Guide 7.3mm, For Guide Wire Ø2.0mm	1
7-041-05	Threaded Drill Guide 7.3mm For Ø5.0mm Drill Bit	1
PGW-2.0	Guide Wire 2.0mm X Length 250mm	1
7-041-01	Direct Measuring Device For 7.3mm Screw	1
7-041-02	Cannulated Screw Driver For 7.3mm Screws	1




Indications

Wise-Lock Proximal Femoral Hook Plate 4.5/5.0 is intended for fractures of the femur including:


- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic bone and fixation of nonunions or malunions

4.5/5.0mm Wise-Lock Proximal Femoral Hook Plate

Placa Gancho Femoral Proximal Bloqueada 4,5-5,0mm


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
2	579.002	TI-579.002
4	579.004	TI-579.004
6	579.006	TI-579.006
8	579.008	TI-579.008
10	579.010	TI-579.010
12	579.012	TI-579.012
14	579.014	TI-579.014
16	579.016	TI-579.016
18	579.018	TI-579.018


**Indications**

- Proximal shaft fractures
- Metaphyseal fractures
- Intra-articular fractures
- Periprosthetic fractures


4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate

Placa Tibia Lateral Proximal Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
5	733.205L	TI-733.205L	733.205R	TI-733.205R
7	733.207L	TI-733.207L	733.207R	TI-733.207R
9	733.209L	TI-733.209L	733.209R	TI-733.209R
11	733.211L	TI-733.211L	733.211R	TI-733.211R
13	733.213L	TI-733.213L	733.213R	TI-733.213R



Indications

Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibia plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia. The Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 may also be used for fixation of nonunions and malunions of the medial proximal tibia and tibia shaft, as well as opening and closing wedge tibia osteotomies.

4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate

Placa Para Tibia Medial Proximal Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	747.204L	TI-747.204L	747.204R	TI-747.204R
6	747.206L	TI-747.206L	747.206R	TI-747.206R
8	747.208L	TI-747.208L	747.208R	TI-747.208R
10	747.210L	TI-747.210L	747.210R	TI-747.210R
12	747.212L	TI-747.212L	747.212R	TI-747.212R
14	747.214L	TI-747.214L	747.214R	TI-747.214R
16	747.216L	TI-747.216L	747.216R	TI-747.216R



Indications

Wise-Lock 4.5mm Proximal Tibia Plate is intended for treatment of osteopenic bone, tibia osteotomies, nonunions, malunions and fractures of the proximal tibia including:

- Simple, comminuted fractures
- Lateral wedge fractures
- Depression medial wedge fractures
- Bicondylar combination of lateral wedge and depression fractures
- Periprosthetic fractures
- Proximal fractures with associated shaft fractures


4.5/5.0mm Wise-Lock Proximal Tibia Plate

Placa Tibia Proximal Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	749.104L	TI-749.104L	749.104R	TI-749.104R
6	749.106L	TI-749.106L	749.106R	TI-749.106R
8	749.108L	TI-749.108L	749.108R	TI-749.108R
10	749.110L	TI-749.110L	749.110R	TI-749.110R
12	749.112L	TI-749.112L	749.112R	TI-749.112R
14	749.114L	TI-749.114L	749.114R	TI-749.114R



Indications

Osteotomy

Open-wedge and closed-wedge osteotomies of the:

- Medial high tibia
- Lateral high tibia
- Lateral distal femur

Osteotomy Medial Distal Femur

Indications

- Unicompartamental lateral gonarthrosis with valgus malalignment of the distal femur
- Idiopathic or posttraumatic valgus deformity of the distal femur
- Patient age below 65 – 70 yrs.
- Physically active patients
- Pre-operative range of motion of the knee joint of at least E/F 0/10/90°

Contraindications

- Arthritis and third to fourth degree cartilage degeneration in the medial compartment
- Complete medial meniscectomy
- Severe obesity
- Insufficient soft tissue conditions
- Nicotine abuse

4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate

Placa Osteotomy Para Tibia Medial Alta Bloqueada



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	575.005	TI-575.005

4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate

Placa Osteotomy Para Tibia Lateral Alta bloqueada




	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	576.003L	TI-576.003L	576.003R	TI-576.003R

4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate

Placa Osteotomy Para Femur Distal Lateral bloqueada



	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
5	577.005L	TI-577.005L	577.005R	TI-577.005R



Indications



- Unicompartmental lateral gonarthrosis with valgus malalignment of the distal femur
- Idiopathic or posttraumatic valgus deformity of the distal femur
- Patient age below 65–70 yrs.
- Physically active patients
- Pre-operative range of motion of the knee joint of at least E/F 0/10/90°

Contraindications


- Arthritis and third to fourth degree cartilage degeneration in the medial compartment
- Complete medial meniscectomy
- Severe obesity
- Insufficient soft tissue conditions
- Nicotine abuse

4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate

Placa Osteotomy Femoral Medial Distal bloqueada


 round
locking hole

 compression and
locking hole


	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	578.004L	TI-578.004L	578.004R	TI-578.004R



Indications

The Wise-Lock Pediatric Hip Plate is intended for use in pediatrics (children from 2 to 16 years) and for small-stature adult patients. Specific indications include:




- Inter- and sub-trochanteric varus osteotomies
- Inter- and sub-trochanteric valgus osteotomies
- Inter- and sub-trochanteric derotation osteotomies
- Fractures of the proximal femur

Contraindications

Applications in children or adults which are inappropriate to the design and strength of the plate and do not conform to the indications.

4.5/5.0mm Wise-Lock Paediatric Hip Plate
Placa Para Cadera Pediátrica 4,5-5,0mm Bloqueada


round
locking hole



Degree Grado	Length Longitud	Width Ancho	Stainless Steel Acero Inoxidable	Titanium Titanio
90°	90mm	22.5mm	1122.090	TI-1122.090
100°	90mm	22.5mm	1122.100	TI-1122.100
110°	90mm	22.5mm	1122.110	TI-1122.110
120°	95mm	22.5mm	1122.120	TI-1122.120
150°	75mm	22.5mm	1122.150	TI-1122.150



Wise-Lock DHS Plate

Placa DHS Bloqueada



 Barrel Length
25.4mm

 Barrel Length
42.4mm

 compression and
locking hole

Please prefix TI with below item codes for Titanium

Holes Orificios	130°	135°	140°	145°	150°	135° Short Barrel
2	756.3002WL	756.3502WL	756.4002WL	756.4502WL	756.5002WL	757.3502WL
3	756.3003WL	756.3503WL	756.4003WL	756.4503WL	756.5003WL	757.3503WL
4	756.3004WL	756.3504WL	756.4004WL	756.4504WL	756.5004WL	757.3504WL
5	756.3005WL	756.3505WL	756.4005WL	756.4505WL	756.5005WL	757.3505WL
6	756.3006WL	756.3506WL	756.4006WL	756.4506WL	756.5006WL	757.3506WL
7	756.3007WL	756.3507WL	756.4007WL	756.4507WL	756.5007WL	757.3507WL
8	756.3008WL	756.3508WL	756.4008WL	756.4508WL	756.5008WL	757.3508WL
9	756.3009WL	756.3509WL	756.4009WL	756.4509WL	756.5009WL	757.3509WL
10	756.3010WL	756.3510WL	756.4010WL	756.4510WL	756.5010WL	757.3510WL
12	756.3012WL	756.3512WL	756.4012WL	756.4512WL	756.5012WL	757.3512WL
14	756.3014WL	756.3514WL	756.4014WL	756.4514WL	756.5014WL	757.3514WL
16	756.3016WL	756.3516WL	756.4016WL	756.4516WL	756.5016WL	757.3516WL
18	756.3018WL	756.3518WL	756.4018WL	756.4518WL	756.5018WL	757.3518WL
20	756.3020WL	756.3520WL	756.4020WL	756.4520WL	756.5020WL	757.3520WL
22	756.3022WL	756.3522WL	756.4022WL	756.4522WL	756.5022WL	757.3522WL






95° Wise-Lock DCS Plate

Placa DCS 95° Bloqueada



barrel


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
6	760.006WL	TI-760.006WL
7	760.007WL	TI-760.007WL
8	760.008WL	TI-760.008WL
9	760.009WL	TI-760.009WL
10	760.010WL	TI-760.010WL
12	760.012WL	TI-760.012WL
14	760.014WL	TI-760.014WL
16	760.016WL	TI-760.016WL
18	760.018WL	TI-760.018WL
20	760.020WL	TI-760.020WL
22	760.022WL	TI-760.022WL

**Indications**

When used with the Dynamic Hip Screw (DHS) or the Wise-Lock Dynamic Helical Hip System (LCP DHHS) side plates with four or more holes, the Universal Locking Trochanter Stabilization Plate is intended to treat stable and unstable fractures of the proximal femur:


- Intertrochanteric
- Subtrochanteric
- Pertrochanteric
- Basilar neck fractures

4.5/5.0mm Wise-Lock Trochanter Stabilizing Plate for DHS - Adjustable

Placa Estabilizacion Trocanter Bloqueada Para DHS Ajustable




round
locking hole



Size Talla	Stainless Steel Acero Inoxidable	Titanium Titanio
130	793.130	TI-793.130

4.5/5.0mm Wise-Lock Proximal Femoral Lateral Plate (Type-II)

Placa Para Femoral Proximal Lateral Bloqueada 4,5-5,0mm (Tipo II)



Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
4	1128.04L	TI-1128.04L	1128.04R	TI-1128.04R
5	1128.05L	TI-1128.05L	1128.05R	TI-1128.05R
6	1128.06L	TI-1128.06L	1128.06R	TI-1128.06R
7	1128.07L	TI-1128.07L	1128.07R	TI-1128.07R
8	1128.08L	TI-1128.08L	1128.08R	TI-1128.08R
9	1128.09L	TI-1128.09L	1128.09R	TI-1128.09R
10	1128.10L	TI-1128.10L	1128.10R	TI-1128.10R
12	1128.12L	TI-1128.12L	1128.12R	TI-1128.12R
14	1128.14L	TI-1128.14L	1128.14R	TI-1128.14R
16	1128.16L	TI-1128.16L	1128.16R	TI-1128.16R

4.5/5.0mm Wise-Lock Reconstruction Plate

Placa Reconstruccion Bloqueada 4,5-5,0mm


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	728.203	TI-728.203
4	728.204	TI-728.204
5	728.205	TI-728.205
6	728.206	TI-728.206
7	728.207	TI-728.207
8	728.208	TI-728.208
9	728.209	TI-728.209
10	728.210	TI-728.210
11	728.211	TI-728.211
12	728.212	TI-728.212
13	728.213	TI-728.213
14	728.214	TI-728.214
15	728.215	TI-728.215
16	728.216	TI-728.216

4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts

Placa de Compresion Dinamica Estrecha Bloqueada 4,5-5,5mm
Con Bajo Perfil Bajo Corte



compression and
locking hole




Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
2	723.202	TI-723.202
3	723.203	TI-723.203
4	723.204	TI-723.204
5	723.205	TI-723.205
6	723.206	TI-723.206
7	723.207	TI-723.207
8	723.208	TI-723.208
9	723.209	TI-723.209
10	723.210	TI-723.210
11	723.211	TI-723.211
12	723.212	TI-723.212
14	723.214	TI-723.214
16	723.216	TI-723.216
18	723.218	TI-723.218
20	723.220	TI-723.220
22	723.222	TI-723.222
24	723.224	TI-723.224

4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts

Placa de Compresion Dinamica Ancha Bloqueada 4,5-5,5mm
Con Bajo Perfil Bajo Corte




compression and
locking hole



Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
5	725.205	TI-725.205
6	725.206	TI-725.206
7	725.207	TI-725.207
8	725.208	TI-725.208
9	725.209	TI-725.209
10	725.210	TI-725.210
11	725.211	TI-725.211
12	725.212	TI-725.212
13	725.213	TI-725.213
14	725.214	TI-725.214
15	725.215	TI-725.215
16	725.216	TI-725.216
18	725.218	TI-725.218
20	725.220	TI-725.220
22	725.222	TI-725.222
24	725.224	TI-725.224

4.5/5.0mm Wise-Lock Curved Broad Plate

Placa Ancha Curvada Bloqueada 4,5-5,0mm


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
12	750.112	TI-750.112
13	750.113	TI-750.113
14	750.114	TI-750.114
15	750.115	TI-750.115
16	750.116	TI-750.116
17	750.117	TI-750.117
18	750.118	TI-750.118

4.5/5.0mm Wise-Lock "L" Buttress Plate

Placa Sosten en L Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Left Direction Dirección izquierda		Right Direction Dirección Derecha	
	Stainless Steel Acero Inoxidable	Titanium Titanio	Stainless Steel Acero Inoxidable	Titanium Titanio
3	706.203L	TI-706.203L	706.203R	TI-706.203R
4	706.204L	TI-706.204L	706.204R	TI-706.204R
5	706.205L	TI-706.205L	706.205R	TI-706.205R
6	706.206L	TI-706.206L	706.206R	TI-706.206R
7	706.207L	TI-706.207L	706.207R	TI-706.207R
8	706.208L	TI-706.208L	706.208R	TI-706.208R
9	706.209L	TI-706.209L	706.209R	TI-706.209R
10	706.210L	TI-706.210L	706.210R	TI-706.210R
12	706.212L	TI-706.212L	706.212R	TI-706.212R

4.5/5.0mm Wise-Lock "T" Buttress Plate

Placa Sosten en T Bloqueada 4,5-5,0mm


 round
locking hole

 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
4	714.204	TI-714.204
5	714.205	TI-714.205
6	714.206	TI-714.206
7	714.207	TI-714.207
8	714.208	TI-714.208
9	714.209	TI-714.209
10	714.210	TI-714.210
12	714.212	TI-714.212

4.5/5.0mm Wise-Lock "T" Plate

Placa en T Bloqueada 4,5-5,0mm


 compression and
locking hole


Holes Orificios	Stainless Steel Acero Inoxidable	Titanium Titanio
3	709.203	TI-709.203
4	709.204	TI-709.204
5	709.205	TI-709.205
6	709.206	TI-709.206
7	709.207	TI-709.207
8	709.208	TI-709.208
9	709.209	TI-709.209
10	709.210	TI-709.210
12	709.212	TI-709.212

5.0mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo Autorroscante 5,0mm



Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
55	119.055	TI-119.055
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090

5.0mm Wise-Lock Screws, Self Tapping & Self Drilling
Tornillo Bloqueo Autobrocado 5,0mm

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
12	119.212	TI-119.212
14	119.214	TI-119.214
16	119.216	TI-119.216
18	119.218	TI-119.218
20	119.220	TI-119.220
22	119.222	TI-119.222
24	119.224	TI-119.224
26	119.226	TI-119.226
28	119.228	TI-119.228
30	119.230	TI-119.230
32	119.232	TI-119.232
34	119.234	TI-119.234
36	119.236	TI-119.236
38	119.238	TI-119.238
40	119.240	TI-119.240
42	119.242	TI-119.242
44	119.244	TI-119.244
46	119.246	TI-119.246
48	119.248	TI-119.248
50	119.250	TI-119.250
55	119.255	TI-119.255
60	119.260	TI-119.260
65	119.265	TI-119.265
70	119.270	TI-119.270
75	119.275	TI-119.275
80	119.280	TI-119.280
85	119.285	TI-119.285
90	119.290	TI-119.290



5.0mm Wise-Lock Cancellous Screw, Full Thread, Self Tapping (Hex Head)


Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
20	1360-20	TI-1360-20
22	1360-22	TI-1360-22
24	1360-24	TI-1360-24
26	1360-26	TI-1360-26
28	1360-28	TI-1360-28
30	1360-30	TI-1360-30
32	1360-32	TI-1360-32
34	1360-34	TI-1360-34
36	1360-36	TI-1360-36
38	1360-38	TI-1360-38
40	1360-40	TI-1360-40
42	1360-42	TI-1360-42
44	1360-44	TI-1360-44
46	1360-46	TI-1360-46
48	1360-48	TI-1360-48
50	1360-50	TI-1360-50
55	1360-55	TI-1360-55
60	1360-60	TI-1360-60
65	1360-65	TI-1360-65
70	1360-70	TI-1360-70
75	1360-75	TI-1360-75
80	1360-80	TI-1360-80
85	1360-85	TI-1360-85
90	1360-90	TI-1360-90
95	1360-95	TI-1360-95
100	1360-100	TI-1360-100
105	1360-105	TI-1360-105
110	1360-110	TI-1360-110

5.0mm Wise-Lock Cannulated Screw, Partial Thread

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
30	1269.30	TI-1269.30
35	1269.35	TI-1269.35
40	1269.40	TI-1269.40
45	1269.45	TI-1269.45
50	1269.50	TI-1269.50
55	1269.55	TI-1269.55
60	1269.60	TI-1269.60
65	1269.65	TI-1269.65
70	1269.70	TI-1269.70
75	1269.75	TI-1269.75
80	1269.80	TI-1269.80
85	1269.85	TI-1269.85
90	1269.90	TI-1269.90
95	1269.95	TI-1269.95
100	1269.100	TI-1269.100



5.0mm Wise-Lock Cannulated Screws, Self Tapping, Full Thread

Tornillo Canulado Bloqueado Autorroscante Todo Rosca 5,0mm



Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
20	156.020	TI-156.020
25	156.025	TI-156.025
30	156.030	TI-156.030
35	156.035	TI-156.035
40	156.040	TI-156.040
45	156.045	TI-156.045
50	156.050	TI-156.050
55	156.055	TI-156.055
60	156.060	TI-156.060
65	156.065	TI-156.065
70	156.070	TI-156.070
75	156.075	TI-156.075
80	156.080	TI-156.080
85	156.085	TI-156.085
90	156.090	TI-156.090
95	156.095	TI-156.095
100	156.100	TI-156.100
105	156.105	TI-156.105
110	156.110	TI-156.110
115	156.115	TI-156.115
120	156.120	TI-156.120

7.3mm Wise-Lock Cannulated Screws, Self Tapping, Partial Thread

Tornillo Canulado Bloqueado Autorroscante Rosca Parcial 7,3mm

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
20	157.020	TI-157.020
25	157.025	TI-157.025
30	157.030	TI-157.030
35	157.035	TI-157.035
40	157.040	TI-157.040
45	157.045	TI-157.045
50	157.050	TI-157.050
55	157.055	TI-157.055
60	157.060	TI-157.060
65	157.065	TI-157.065
70	157.070	TI-157.070
75	157.075	TI-157.075
80	157.080	TI-157.080
85	157.085	TI-157.085
90	157.090	TI-157.090
95	157.095	TI-157.095
100	157.100	TI-157.100
105	157.105	TI-157.105
110	157.110	TI-157.110
115	157.115	TI-157.115
120	157.120	TI-157.120



7.3mm Wise-Lock Cannulated Screws, Self Tapping, Full Thread

Tornillo canulado bloqueado autorroscante todo rosca 7,3mm



Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
20	158.020	TI-158.020
25	158.025	TI-158.025
30	158.030	TI-158.030
35	158.035	TI-158.035
40	158.040	TI-158.040
45	158.045	TI-158.045
50	158.050	TI-158.050
55	158.055	TI-158.055
60	158.060	TI-158.060
65	158.065	TI-158.065
70	158.070	TI-158.070
75	158.075	TI-158.075
80	158.080	TI-158.080
85	158.085	TI-158.085
90	158.090	TI-158.090
95	158.095	TI-158.095
100	158.100	TI-158.100
105	158.105	TI-158.105
110	158.110	TI-158.110
115	158.115	TI-158.115
120	158.120	TI-158.120

12.5mm DHS/DCS Screw (With Compression Screw)

Tornillo DHS/DCS Diametro 12,5mm (Con Tornillo de Compresion)

Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
50	761.050	TI-761.050
55	761.055	TI-761.055
60	761.060	TI-761.060
65	761.065	TI-761.065
70	761.070	TI-761.070
75	761.075	TI-761.075
80	761.080	TI-761.080
85	761.085	TI-761.085
90	761.090	TI-761.090
95	761.095	TI-761.095
100	761.100	TI-761.100
105	761.105	TI-761.105
110	761.110	TI-761.110
115	761.115	TI-761.115
120	761.120	TI-761.120
125	761.125	TI-761.125
130	761.130	TI-761.130
135	761.135	TI-761.135
140	761.140	TI-761.140
145	761.145	TI-761.145



IS0010 Wise-Lock Large Fragment Implant Set

Codes Referencia	Set Consisting of: El Set Consiste En	Units Unidades
119.014	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 14mm	2
119.016	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 16mm	2
119.018	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 18mm	2
119.02	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 20mm	2
119.022	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 22mm	2
119.024	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 24mm	2
119.026	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 26mm	2
119.028	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 28mm	2
119.03	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 30mm	2
119.032	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 32mm	2
119.034	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 34mm	4
119.036	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 36mm	4
119.038	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 38mm	4
119.04	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 40mm	4
119.042	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 42mm	2
119.044	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 44mm	2
119.046	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 46mm	2
119.048	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 48mm	2
119.05	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 50mm	2
119.055	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 55mm	2
119.06	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 60mm	2
119.065	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 65mm	2
119.07	Wise-Lock Screw Dia. 5.0mm, Self Tapping, Length: 70mm	2
119.214	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 14mm	2
119.218	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 18mm	2
119.222	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 22mm	2
119.226	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 26mm	4
119.23	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 30mm	4
119.236	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 36mm	4
119.24	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 40mm	4
119.244	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 44mm	2
119.25	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 50mm	2
119.255	Wise-Lock Screw Dia. 5.0mm, Self Tapping & Self Drilling, Length: 55mm	2
2100-4.3-210	Drill Bit 4.3mm x 210mm, Quick Coupling	2
TDS-5.0	Threaded Drill Sleeve for 5mm wise lock screws	2
3438-06	Quick Coupling Handle (T-Type)	1
10-004-01	Screw Driver Shaft Q.C End - 3.5mm Tip	1
723.206	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 6 Holes	1
723.207	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 7 Holes	1
723.208	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 8 Holes	1
723.209	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 9 Holes	1
723.21	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 10 Holes	1
723.211	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 11 Holes	1
723.212	Wise-Lock 4.5mm Narrow Dynamic Compression with LC under cuts, 12 Holes	1
714.203	Wise-Lock 4.5mm T-Buttress Plate, 3 Holes	1
714.204	Wise-Lock 4.5mm T-Buttress Plate, 4 Holes	1
709.204	Wise-Lock 4.5mm T-Plate, 4 Holes	1
709.205	Wise-Lock 4.5mm T-Plate, 5 Holes	1
709.206	Wise-Lock 4.5mm T-Plate, 6 Holes	1
706.204L	Wise-Lock 4.5mm L-Buttress Plate, Left Leg, 4 Holes	1
706.205L	Wise-Lock 4.5mm L-Buttress Plate, Left Leg, 5 Holes	1
706.206L	Wise-Lock 4.5mm L-Buttress Plate, Left Leg, 6 Holes	1
706.204R	Wise-Lock 4.5mm L-Buttress Plate, Right Leg, 4 Holes	1
706.205R	Wise-Lock 4.5mm L-Buttress Plate, Right Leg, 5 Holes	1
706.206R	Wise-Lock 4.5mm L-Buttress Plate, Right Leg, 6 Holes	1
728.206	Wise-Lock 4.5mm Reconstruction Plate, 6 Holes	1
728.207	Wise-Lock 4.5mm Reconstruction Plate, 7 Holes	1
728.208	Wise-Lock 4.5mm Reconstruction Plate, 8 Holes	1
728.209	Wise-Lock 4.5mm Reconstruction Plate, 9 Holes	1
728.21	Wise-Lock 4.5mm Reconstruction Plate, 10 Holes	1
728.211	Wise-Lock 4.5mm Reconstruction Plate, 11 Holes	1
728.212	Wise-Lock 4.5mm Reconstruction Plate, 12 Holes	1
A10.022	Container for Wise-Lock Implant Set (Code: A10.022)	1

2100-3.2-145

Drill Bit with Quick Coupling, Ø3.2mm x Length 145mm


2100-4.5-145

Drill Bit with Quick Coupling, Ø4.5mm x Length 145mm


2103-07

Tap with Quick Coupling, for Ø4.5mm Cortical Screws


2103-09

Tap for Ø6.5mm Cancellous Screws


2103-4.3-225

Drill Bit Quick Coupling with Stopper, Ø4.3mm x Length 225mm


2106-2.0

Guide Sleeve for Ø2.0mm K. Wires



3400-02

Countersink for Ø4.5/6.5mm Screws


3420-02

Insert Drill Sleeve, Ø4.5/3.2mm


3443-38-5.0

Extraction Screw, Ø5.0mm


3408-04

Hexagonal Screw Driver Shaft - 3.5mm Tip, Quick Coupling, short


2186-3.5

HSS Drill Bit, Metal, Ø3.5mm


3767-4.5

Double Drill Guide, Ø4.5/3.2mm



1472-058

Self Centering Double Drill Guide, Ø4.5/3.2mm


3767-6.5

Double Drill Guide, Ø6.5/3.2mm


BT-LF-S

Bending Template, Small


BT-LF-M

Bending Template, Medium


BT-LF-L

Bending Template, Large


1472-062

Threaded Drill Guide 5.0, for Drill Bit Ø4.3mm



GW-2.0-230

Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm


3766-003

Allen Key, 3.0mm


1472-052

Pulling Drill Bit, 4.0mm


3443-100

Depth Gauge, measuring range upto 100mm


3406-04

Screw Driver, Hex 3.5mm


3406-04S

Holding Sleeve for Screw Driver, Hex 3.5mm



3445-3.5

Screw Driver, Self Retaining (for Screw Removal), 3.5mm


1472-056

Screw Driver Holding Sleeve For Stand Screw (Cortical and Cancellous)


3408-04L

Hexagonal Screw Driver Shaft with Quick Coupling - 3.5mm Tip, Long


3443-39

Trephine, Ø8mm


3402-000

T-Handle with Quick Coupling


1472-054

Quick coupling shaft



TQ-3.5

Torque Limiting attachment, 4Nm


1472-064

Torque Screw Driver Handle


3409-01L

Bending Iron, Left


3409-01R

Bending Iron, Right


1472-032

Articulated Tension Device


1472-034

Articulated Tension Device Key




2150-1008

Periosteal Elevator Curved, 8mm


2150-1016

Periosteal Elevator, Curved, 16mm


2107-1240

Reduction Forcep, Pointed, Ratchet Lock, 240mm


2106-1240

Reduction Forcep, Serrated, Speed Lock, 240mm


2105-000

Self Centering Bone Holding Forcep


1472-070

Hohmann Retractor, Ø44mm



2146.016

Hohmann Retractor, Ø16mm


7-051-03


Screw Holding forcep for Wise-Lock Large Fragment System


TI-007NW

Screw Caddy for 5.0mm Wise-Lock Large Fragment System


7-051-02

Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument Set


SC-004

Container for 5.0mm Wise-Lock Large Fragment Instrument Set



2303.000 Large Fragment-Wise Lock Instrument Set




2303.000 Large Fragment-Wise Lock Instrument Set

Codes	Set Consisting of:	Units
2100-3.2-145	Drill Bit with Quick Coupling, Ø3.2mm x Length 145mm	1
2100-4.5-145	Drill Bit with Quick Coupling, Ø4.5mm x Length 145mm	1
2103-07	Tap with Quick Coupling, for Ø4.5mm Cortical Screws	1
2103-09	Tap for Ø6.5mm Cancellous Screws	1
2103-4.3-225	Drill Bit Quick Coupling with Stopper, Ø4.3mm x Length 225mm	2
2106-2.0	Guide Sleeve for Ø2.0mm K. Wires	1
3400-02	Countersink for Ø4.5/6.5mm Screws	1
3420-02	Insert Drill Sleeve, Ø4.5/3.2mm	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3408-04	Hexagonal Screw Driver Shaft - 3.5mm Tip, Quick Coupling, short	1
2186-3.5	HSS Drill Bit, Metal, Ø3.5mm	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
1472-058	Self Centering Double Drill Guide, Ø4.5/3.2mm	1
3767-6.5	Double Drill Guide, Ø6.5/3.2mm	1
BT-LF-S	Bending Template, Small	1
BT-LF-M	Bending Template, Medium	1
BT-LF-L	Bending Template, Large	1
1472-062	Threaded Drill Guide 5.0, for Drill Bit Ø4.3mm	3
GW-2.0-230	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm	3
3766-003	Allen Key, 3.0mm	1
1472-052	Pulling Drill Bit, 4.0mm	1
3443-100	Depth Gauge, measuring range upto 100mm	1
3406-04	Screw Driver, Hex 3.5mm	1
3406-04S	Holding Sleeve for Screw Driver, Hex 3.5mm	1
3445-3.5	Screw Driver, Self Retaining (for Screw Removal), 3.5mm	1
1472-056	Screw Driver Holding Sleeve For Stand Screw (Cortical and Cancellous)	1
3408-04L	Hexagonal Screw Driver Shaft with Quick Coupling - 3.5mm Tip, Long	1
3443-39	Trephine, Ø8mm	1
3402-000	T-Handle with Quick Coupling	1
1472-054	Quick coupling shaft	1
TQ-3.5	Torque Limiting attachment, 4Nm	1
1472-064	Torque Screw Driver Handle	1
3409-01L	Bending Iron, Left	1
3409-01R	Bending Iron, Right	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
2150-1008	Periosteal Elevator Curved, 8mm	1

Codes	Set Consisting of:	Units
2150-1016	Periosteal Elevator, Curved, 16mm	1
2107-1240	Reduction Forcep, Pointed, Ratchet Lock, 240mm	1
2106-1240	Reduction Forcep, Serrated, Speed Lock, 240mm	1
2105-000	Self Centering Bone Holding Forcep	2
1472-070	Hohmann Retractor, Ø44mm	1
2146.016	Hohmann Retractor, Ø16mm	1
7-051-03	Screw Holding forcep for Wise-Lock Large Fragment System	1
TI-007NW	Screw Caddy for 5.0mm Wise-Lock Large Fragment System	1
7-051-02	Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument Set	3
SC-004	Container for 5.0mm Wise-Lock Large Fragment Instrument Set	1

5.0mm

**Large Fragment
LISS System**



5.0mm Wise-Lock Distal Femur Plate(LISS) System

5.0mm Wise-Lock Distal Femur Plate(LISS)


Placa distal de fémur distal(LISS)


 compression and
locking hole


Right



Left



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
5	10-016-05LTI	10-016-05RTI
7	10-016-07LTI	10-016-07RTI
9	10-016-09LTI	10-016-09RTI
11	10-016-11LTI	10-016-11RTI
13	10-016-13LTI	10-016-13RTI

5.0mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo Autorroscante 5,0mm



Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
55	119.055	TI-119.055
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090

7-028-01 L Wrench, Ø4.5mm




7-028-02 T Handle With Quick Coupling



7-028-03 Tap, Ø5.0mm



7-028-04 Torque-limiting Screwdriver Handle, 4.0Nm



7-028-05 Guide Sleeve, Ø7.3mm



7-028-06 Thread Guide Pin, Ø2.0 × 280mm



7-028-07 Trocar, Ø7.2mm



7-028-08 Lifting Drill, Ø4.0mm



7-028-09 Screwdriver, SW3.5



7-028-10 Drill sleeve for Locking Screw, Ø2.2mm



7-028-11 Drill Sleeve for Pin, Ø2.2mm



7-028-12 Drill Sleeve, Ø4.2mm



7-028-13 Depth Gauge, Ø2.2mm



7-028-14 Drill Bit, Ø4.1 × 280mm



7-028-15 Stopper



7-029-01 5.0mm Wise-Lock Distal Femur(LISS) Guide, Left



7-029-02 5.0mm Wise-Lock Distal Femur(LISS) Guide, Right



7-029-03 Trays for 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set



7-029-04 Container for 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set



7-029 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set



7-029 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set

Codes	Set Consisting of:	Units
7-028-01	L Wrench, Ø4.5mm	1
7-028-02	T Handle With Quick Coupling	1
7-028-03	Tap, Ø5.0mm	2
7-028-04	Torque-limiting Screwdriver Handle, 4.0Nm	1
7-028-05	Guide Sleeve, Ø7.3mm	4
7-028-06	Thread Guide Pin, Ø2.0 × 280mm	4
7-028-07	Trocar, Ø7.2mm	1
7-028-08	Lifting Drill, Ø4.0mm	2
7-028-09	Screwdriver, SW3.5	2
7-028-10	Drill sleeve for Locking Screw, Ø2.2mm	1
7-028-11	Drill Sleeve for Pin, Ø2.2mm	2
7-028-12	Drill Sleeve, Ø4.2mm	2
7-028-13	Depth Gauge, Ø2.2mm	1
7-028-14	Drill Bit, Ø4.1 × 280mm	2
7-028-15	Stopper	20
7-028-16	LISS screw tray	1
7-029-01	5.0mm Wise-Lock Distal Femur(LISS) Guide, Left	1
7-029-02	5.0mm Wise-Lock Distal Femur(LISS) Guide, Right	1
7-029-03	Trays for 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set	2
7-029-04	Container for 5.0mm Wise-Lock Distal Femur Plate(LISS) Instrument set	1



5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) System

5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS)


Placa lateral proximal Wise-Lock(LISS)




5 Head Holes

 compression and
locking hole


Right



Left



Holes Orificios	Left Direction Dirección izquierda	Right Direction Dirección Derecha
5	10-017-05LTI	10-017-05RTI
7	10-017-07LTI	10-017-07RTI
9	10-017-09LTI	10-017-09RTI
11	10-017-11LTI	10-017-11RTI
13	10-017-13LTI	10-017-13RTI

5.0mm Wise-Lock Screws, Self Tapping

Tornillo Bloqueo Autorroscante 5,0mm



Length (mm) Longitud (mm)	Stainless Steel Acero Inoxidable	Titanium Titanio
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
55	119.055	TI-119.055
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090

7-028-01 L Wrench, Ø4.5mm



7-028-02 T Handle With Quick Coupling



7-028-03 Tap, Ø5.0mm



7-028-04 Torque-limiting Screwdriver Handle, 4.0Nm



7-028-05 Guide Sleeve, Ø7.3mm



7-028-06 Thread Guide Pin, Ø2.0 × 280mm



7-028-07 Trocar, Ø7.2mm



7-028-08 Lifting Drill, Ø4.0mm




7-028-09 Screwdriver, SW3.5



7-028-10 Drill sleeve for Locking Screw, Ø2.2mm



7-028-11 Drill Sleeve for Pin, Ø2.2mm



7-028-12 Drill Sleeve, Ø4.2mm



7-028-13 Depth Gauge, Ø2.2mm




7-028-14 Drill Bit, Ø4.1 × 280mm




7-028-15 Stopper



7-030-01 5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Left



7-030-02 5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Right



7-030-03 Trays for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set



7-030-04 Container for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set



7-030 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set



7-030 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set

Codes	Set Consisting of:	Units
7-028-01	L Wrench, Ø4.5mm	1
7-028-02	T Handle With Quick Coupling	1
7-028-03	Tap, Ø5.0mm	2
7-028-04	Torque-limiting Screwdriver Handle, 4.0Nm	1
7-028-05	Guide Sleeve, Ø7.3mm	4
7-028-06	Thread Guide Pin, Ø2.0 × 280mm	4
7-028-07	Trocar, Ø7.2mm	1
7-028-08	Lifting Drill, Ø4.0mm	2
7-028-09	Screwdriver, SW3.5	2
7-028-10	Drill sleeve for Locking Screw, Ø2.2mm	1
7-028-11	Drill Sleeve for Pin, Ø2.2mm	2
7-028-12	Drill Sleeve, Ø4.2mm	2
7-028-13	Depth Gauge, Ø2.2mm	1
7-028-14	Drill Bit, Ø4.1 × 280mm	2
7-028-15	Stopper	20
7-028-16	LISS screw tray	1
7-030-01	5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Left	1
7-030-02	5.0mm Wise-Lock Proximal Lateral Tibia(LISS) Guide, Right	1
7-030-03	Trays for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set	2
7-030-04	Container for 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) Instrument set	1

**USA**

Auxein Inc.

1500 Nw 89th Court, Suite 205, Doral, Florida 33172

Tel: +1 305 395 6062

E Fax: +1 305 395 6262

Email: USoffice@auxein.com

INDIA

Auxein Medical Pvt. Ltd.

Plot No. 168-169-170, Phase-4, Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana

Tel: +91 99106 43638

Fax: +91 86077 70197

Email: info@auxein.com

www.auxein.com